

A SPACE PHYSICS PARADOX

WHY HAS INCREASED FUNDING BEEN ACCOMPANIED BY DECREASED EFFECTIVENESS IN THE CONDUCT OF SPACE PHYSICS RESEARCH?

Committee on Solar-Terrestrial Research Board on Atmospheric Sciences and Climate Commission on Geosciences, Environment, and Resources and

Committee on Solar and Space Physics
Space Studies Board
Commission on Physical Sciences, Mathematics, and Applications

National Research Council

approved by a Report Review Committee consisting of members of the National Academy of Sciences, the National Academy of Engineering, and the Institute of Medicine.

The National Academy of Sciences is a private, nonprofit, self-perpetuating society of distinguished scholars engaged in scientific and engineering research, dedicated to the furtherance of science and technology and to their use for the general welfare. Upon the authority of the charter granted to it by the Congress in 1863, the Academy has a mandate that requires it to advise the federal government on scientific and technical matters. Dr. Bruce Alberts is president of the National Academy of Sciences.

The National Academy of Engineering was established in 1964, under the charter of the National Academy of Sciences, as a parallel organization of outstanding engineers. It is autonomous in its administration and in the selection of its members, sharing with the National Academy of Sciences the responsibility for advising the federal government. The National Academy of Engineering also sponsors engineering programs aimed at meeting national needs, encourages education and research, and recognizes the superior achievements of engineers. Dr. Robert M. White is president of the National Academy of Engineering.

The Institute of Medicine was established in 1970 by the National Academy of Sciences to secure the services of eminent members of appropriate professions in the examination of policy matters pertaining to the health of the public. The Institute acts under the responsibility given to the National Academy of Sciences by its congressional charter to be an adviser to the federal government and, upon its own initiative, to identify issues of medical care, research, and education. Dr. Kenneth I. Shine is president of the Institute of Medicine.

The National Research Council was organized by the National Academy of Sciences in 1916 to associate the broad community of science and technology with the Academy's purposes of furthering knowledge and advising the federal government. Functioning in accordance with general policies determined by the Academy, the Council has become the principal operating agency of both the National Academy of Sciences and the National Academy of Engineering in providing services to the government, the public, and the scientific and engineering communities. The Council is administered jointly by both Academies and the Institute of Medicine. Dr. Bruce Alberts and Dr. Robert M. White are chairman and vice chairman, respectively, of the National Research Council.

This material is based on work supported by the National Science Foundation under Grant No. ATM 9316824.

Copies of this report are available from the National Academy Press, 2101 Constitution Avenue, N.W., Box 285, Washington, DC 20418. Call 800-624-6242 or 202-334-3313 (in the Washington Metropolitan Area).

International Standard Book Number 0-309-05177-0 Library of Congress Catalog Card Number 94-67475

Copyright © 1994 by the National Academy of Sciences. All rights reserved.

Cover art reproduced from a batik card titled Changes by Susan Wexler Schneider, a nationally

MARVIN A. GELLER, State University of New York, Stony Brook, Chair CYNTHIA A. CATTELL, University of California, Berkeley JOHN V. EVANS, COMSAT Laboratories, Clarksburg, Maryland PAUL A. EVENSON, University of Delaware, Newark JOSEPH F. FENNELL, Aerospace Corporation, Los Angeles, California SHADIA R. HABBAL, Harvard-Smithsonian Center for Astrophysics, Cambridge, Massachusetts

DAVID J. McCOMAS, Los Alamos National Laboratory, Los Alamos, New Mexico

JAMES F. VICKREY, SRI International, Menlo Park, California

Past Members Who Contributed to This Report

DONALD J. WILLIAMS, Johns Hopkins University, Laurel, Maryland, *Chair* ALAN C. CUMMINGS, California Institute of Technology, Pasadena GORDON EMSLIE, University of Alabama, Huntsville DAVID C. FRITTS, University of Colorado, Boulder ROLANDO R. GARCIA, National Center for Atmospheric Research, Boulder, Colorado

MARGARET G. KIVELSON, University of California, Los Angeles MARCOS MACHADO, University of Alabama, Huntsville EUGENE N. PARKER, University of Chicago, Illinois

Liaison Representative

JOE H. ALLEN, National Oceanic and Atmospheric Administration

Staff

WILLIAM A. SPRIGG, Director DAVID H. SLADE, Senior Program Officer DORIS BOUADJEMI, Administrative Assistant MARCIA NEUGEBAUER, Jet Propulsion Laboratory, Pasadena, California, Chair

JANET U. KOZYRA, University of Michigan, Ann Arbor

DONALD G. MITCHELL, Johns Hopkins University, Laurel, Maryland

JONATHAN F. ORMES, Goddard Space Flight Center, National Aeronautics and Space Administration, Greenbelt, Maryland

GEORGE K. PARKS, University of Washington, Seattle

DOUGLAS M. RABIN, National Optical Astronomy Observatory, Tucson, Arizona

ART RICHMOND, High-Altitude Observatory, National Center for Atmospheric Research, Boulder, Colorado

ROGER K. ULRICH, University of California, Los Angeles

RONALD D. ZWICKL, Environmental Research Laboratories, National Oceanic and Atmospheric Administration, Boulder, Colorado

Past Members Who Contributed to This Report

THOMAS E. CRAVENS, University of Kansas, Lawrence DAVID M. RUST, The Johns Hopkins University, Laurel, Maryland RAYMOND J. WALKER, University of California, Los Angeles, California YUK L. YUNG, California Institute of Technology, Pasadena, California

Staff

RICHARD C. HART, Senior Program Officer

New Jersey

CRAIG E. DORMAN, Consultant, Arlington, Virginia

MICHAEL FOX-RABINOVITZ, National Aeronautics and Space Administration, Goddard Space Flight Center, Greenbelt, Maryland THOMAS E. GRAEDEL, AT&T Bell Laboratories, Murray Hill, New Jersey ISAAC M. HELD, National Oceanic and Atmospheric Administration,

Geophysical Fluid Dynamics Laboratory, Princeton, New Jersey WITOLD F. KRAJEWSKI, University of Iowa, Iowa City

MARGARET A. LeMONE, National Center for Atmospheric Research,

Boulder, Colorado
DOUGLAS K. LILLY, University of Oklahoma, Norman
RICHARD S. LINDZEN, Massachusetts Institute of Technology, Cambridge

GERALD R. NORTH, Texas A&M University, College Station EUGENE M. RASMUSSON, University of Maryland, College Park JOANNE SIMPSON, National Aeronautics and Space Administration,

Goddard Space Flight Center, Greenbelt, Maryland GRAEME L. STEPHENS, Colorado State University, Fort Collins

Ex Officio Members

ERIC J. BARRON, Pennsylvania State University, University Park WILLIAM L. CHAMEIDES, Georgia Institute of Technology, Atlanta MARVIN A. GELLER, State University of New York, Stony Brook PETER V. HOBBS, University of Washington, Seattle

Staff

WILLIAM A. SPRIGG, Director
MARK HANDEL, Senior Program Officer
DAVID H. SLADE, Senior Program Officer
DORIS BOUADJEMI, Administrative Assistant
THERESA M. FISHER, Administrative Assistant
ELLEN F. RICE, Editor

ANTHONY W. ENGLAND, University of Michigan
JAMES P. FERRIS, Rensselaer Polytechnic Institute
HERBERT FRIEDMAN, Naval Research Laboratory (retired)
HAROLD J. GUY, University of California, San Diego
NOEL W. HINNERS, Martin Marietta Civil Space and
Communications Company

ROBERT A. LAUDISE, AT&T Bell Laboratories
RICHARD S. LINDZEN, Massachusetts Institute of Technology
JOHN H. McELROY, University of Texas at Arlington
WILLIAM J. MERRELL, JR., Texas A&M University
NORMAN F. NESS, University of Delaware
MARCIA NEUGEBAUER, Jet Propulsion Laboratory
SIMON OSTRACH, Case Western Reserve University
JEREMIAH P. OSTRIKER, Princeton University Observatory
CARLE M. PIETERS, Brown University
JUDITH PIPHER, University of Rochester
WILLIAM A. SIRIGNANO, University of California, Irvine
JOHN W. TOWNSEND, Goddard Space Flight Center (retired)
FRED TUREK, Northwestern University
ARTHUR B. C. WALKER, Stanford University

Staff

MARC S. ALLEN, Director
RICHARD C. HART, Deputy Director
JOYCE M. PURCELL, Senior Program Officer
DAVID H. SMITH, Senior Program Officer
BETTY C. GUYOT, Administrative Officer
ANNE SIMMONS, Administrative Assistant
VICTORIA FRIEDENSEN, Administrative Assistant
ALTORIA BELL, Administrative Assistant
CARMELA J. CHAMBERLAIN, Administrative Assistant

- M. GORDON WOLMAN, The Johns Hopkins University, Baltimore, Maryland, Chair
- PATRICK R. ATKINS, Aluminum Company of America, Pittsburgh, Pennsylvania
- EDITH BROWN WEISS, Georgetown University Law Center, Washington, D.C.
- PETER S. EAGLESON, Massachusetts Institute of Technology, Cambridge EDWARD A. FRIEMAN, Scripps Institution of Oceanography, La Jolla, California
- W. BARCLAY KAMB, California Institute of Technology, Pasadena JACK E. OLIVER, Cornell University, Ithaca, New York FRANK L. PARKER, Vanderbilt/Clemson University, Nashville, Tennessee RAYMOND A. PRICE, Queen's University at Kingston, Ontario, Canada THOMAS A. SCHELLING, University of Maryland, College Park LARRY L. SMARR, University of Illinois, Urbana-Champaign STEVEN M. STANLEY, The Johns Hopkins University, Baltimore, Maryland VICTORIA J. TSCHINKEL, Landers and Parsons, Tallahassee, Florida WARREN WASHINGTON, National Center for Atmospheric Research, Boulder, Colorado

Staff

STEPHEN RATTIEN, Executive Director STEPHEN D. PARKER, Associate Executive Director MORGAN GOPNIK, Assistant Executive Director JEANETTE SPOON, Administrative Officer SANDI FITZPATRICK, Administrative Associate ROBIN ALLEN, Senior Project Assistant RICHARD S. NICHOLSON, American Association for the Advancement of Science, *Vice Chair*STEPHEN L. ADLER, Institute for Advanced Study
JOHN A. ARMSTRONG, IBM Corporation (retired)
SYLVIA T. CEYER, Massachusetts Institute of Technology
AVNER FRIEDMAN, University of Minnesota
SUSAN L. GRAHAM, University of California, Berkeley
ROBERT J. HERMANN, United Technologies Corporation
HANS MARK, University of Texas, Austin
CLAIRE E. MAX, Lawrence Livermore National Laboratory
CHRISTOPHER F. McKEE, University of California at Berkeley
JAMES W. MITCHELL, AT&T Bell Laboratories
JEROME SACKS, National Institute of Statistical Sciences
A. RICHARD SEEBASS III, University of Colorado
CHARLES P. SLICHTER, University of Illinois, Urbana-Champaign

ALVIN W. TRIVELPIECE, Oak Ridge National Laboratory

Staff

NORMAN METZGER, Executive Director

Preface

Traditionally, the National Research Council's Board on Atmospheric Sciences and Climate (BASC) and Space Studies Board (SSB) examine research strategies within their areas of science. In that respect this report is unusual. It looks, instead, at the health of a scientific discipline as it is affected by administrative, managerial, and funding decisions. The study originated from a perception shared by many space scientists that, although overall funding was greater than in previous years, individual researchers seemed to be having greater difficulty in obtaining support for their work. This report is the result of an investigation into that perception and the program structures within which much of U.S. space physics research is conducted.

The authors of this report are listed in the preceding committee membership rosters. Their aspirations were to help federal science managers, and those within their own ranks who help make and implement science policy, by analyzing governmental support of space physics research. The conclusions and recommendations from this study are guideposts for identifying and solving significant problems that thwart cost efficiency in the management of one corner of science. However, as the committee members soon discovered, the subject and results of this study apply to many other a eas of science, as well. This report should be of

Development of research and policy guidance is undertaken with one committee taking a lead role, as appropriate. While the CSTR filled the lead role for this report, the results stem from a sustained effort by the entire federated committee.

A particular note of appreciation is extended to two people who helped bring this study to its most fruitful conclusion: Morgan Gopnik, who skillfully edited the report and made key recommendations in response to reviewer comments, and Ronald C. Wimberley of North Carolina State University, who contributed insightful suggestions for improving the manuscript. The committees also wish to thank Doris Bouadjemi for her able preparation of the many iterations of the manuscript.

John A. Dutton, *Chairman* Board on Atmospheric Sciences and Climate

Contents

EVECUTIVE SHMMARY

LA	LCOTTY L GOWNWARCT	
1	INTRODUCTION	7
2	BIG SCIENCE, LITTLE SCIENCE, AND THEIR RELATION TO SPACE PHYSICS	11
3	RESEARCH FUNDING TRENDS	19
4	DEMOGRAPHICS	25
5	BASE PROGRAM FUNDING TRENDS IN SPACE PHYSICS	33
6	TRENDS IN THE CONDUCT OF SPACE PHYSICS Satellite Observations, 43 Solar Observations, 49 Rocket Observations, 56 Balloon Observations, 60 Theory, 64 Data Analysis, 67	43
7	CONCLUSIONS AND RECOMMENDATIONS The Reality Behind the Paradox, 71 Revisiting the Big Science/Little Science Issue, 72 Conclusions, 73	71

Executive Summary

The field of space physics research has grown rapidly over the past 20 years both in terms of the number of researchers and the level of investment of public money. At first glance, this would seem to portend a happy, prosperous community. However, rumblings of dissatisfaction have been building, and periodic reports have surfaced indicating that the huge investments have not produced the desired outpouring of new experimental results. To move beyond anecdotes and perceptions, this report seeks to first substantiate, and then unravel, this seeming paradox by asking:

Why has increased research funding been accompanied by decreased effectiveness in the conduct of space physics research?

BIG AND LITTLE SCIENCE

Central to this discussion is an understanding of the distinction between "big" and "little" science, both in general and specifically as these terms apply to space physics. The first thing to note is that these concepts are far from static. Whether a given project is perceived as big or little science depends on when it is

by a small team of researchers with its own specific research goal. These projects are less expensive and can be implemented relatively quickly. Funding for small science is typically obtained by submitting grant proposals to compete for core program funds within an agency.

Ideally, the large body of experimental results and discoveries coming out of small science help define and fashion the big science programs, which in turn provide platforms for many additional experiments. Unfortunately, many observers believe that this synergism has been deteriorating. Within the field of space physics, this report examines funding mechanisms, the nature of the research community, and the conduct of research itself to see how these factors have evolved over the past two decades.

DEMOGRAPHICS OF THE RESEARCH COMMUNITY

An examination of data from relevant professional associations, and an intriguing though limited NASA survey, reveal a growth in the space physics research community of roughly 40 to 50 percent from 1980 to 1990. The median age of academic researchers is rising significantly and most dramatically among those who describe themselves as experimentalists. Of the graduate students who responded to the NASA survey, only 10 percent were involved in instrumentation. In an empirically driven field such as space physics, this is a cause for concern.

TRENDS IN THE AVAILABILITY AND DISTRIBUTION OF FUNDS

Since 1975, overall federal research funding in all fields has shown a steady increase, resulting in greater than 40 percent growth (adjusted for inflation) from 1975 to 1990. University-based researchers have been the primary beneficiaries of this growth. Although the data are harder to come by, relevant figures from NASA and several universities indicate that the growth in funding for space physics research has been comparable to these overall trends.

However, these figures lump together many different kinds of projects and funders. For example, one element of space physics funding is the base-funded

proposals accepted has dropped. A rough calculation shows that researchers must now write two to four proposals per year to remain funded, up from one or two in 1989. Of course, increasing the time spent searching for support means that less time is spent on productive research. Rising university overhead and fringe benefit costs, that consume more and more of each grant dollar exacerbate this problem. Clearly, the base-funded program has not participated proportionately in the overall space physics research funding increase. Although we do not attempt to quantify the effect this has had on the quality of science produced, we do find that the core program has become much less efficient during the past decade. We also infer that the lion's share of new funding has gone into project-specific funding, most of which involves big science efforts.

TRENDS IN THE CONDUCT OF SPACE PHYSICS

A detailed examination of the history of satellite launches, solar observatories, rockets, ballooning, theoretical modeling, and data analysis reveals several important trends relevant to our understanding of the space physics paradox. For each type of experimental or analytical activity, this report considers trends in technical complexity, implementation times, amounts and sources of funding, and planning activities.

Looking first at satellite launches, including space-based solar observations, we find that implementation times have soared. Is this due to their increasing size and technical complexity or to mushrooming planning, selling, and coordinating activities? Experience in other programs indicates that the latter plays a major role. Ground-based solar observatories, whose complexity has not evolved enormously, still experienced huge implementation delays over the past two decades as a result of protracted study, design, and redesign efforts and the need to extract new-start approvals and continued appropriations from Congress. One effect of long implementation times, especially in the satellite program, has been to all but eliminate new experimental opportunities. Conversely, the rocket and balloon programs, which tend to be funded from agency budgets and controlled by individual researchers, have experienced great increases in technical capability without crippling administrative delays. Technical problems do arise and must overcome, but these temporar delays do not seem to exist an ongoing

CONCLUSIONS

The accumulated data and findings presented in this report can be embodied in four broad conclusions.

Conclusion No. 1: The effectiveness of the base-funded space physics research program has decreased over the past decade. This decrease stems mainly from a budget that has not kept pace with demand, a time-consuming proposal submission and review process, and rising university overhead rates. An effective base-funded program is essential for the incubation of new ideas and for broad support of the scientific community.

Conclusion No. 2: Factors such as planning, marketing, the funding process, and project management have become as responsible for the increased delays, costs, and frustration levels in space physics as technical complications related to increasing project size and complexity. More complicated management and funding structures may be a natural result of the trend toward larger programs. Still, the true costs of these requirements should be acknowledged, and they should not be imposed in programs where they are not necessary.

Conclusion No. 3: The long-term trend that has led to an ever-increasing reliance on large programs has decreased the productivity of space physics research. Big science is often exciting, visible, and uniquely suited for accomplishing certain scientific goals. However, these projects have also been accompanied by implementation delays, administrative complications, funding difficulties, and the sapping of the base-funded program.

Conclusion No. 4: The funding agencies and the space physics community have not clearly articulated priorities and developed strategies for achieving them, despite the fact that the rapid growth of the field has exceeded available resources. Lacking clear guidance from a set of ranked priorities, the funding agencies have absorbed into their strategic plans more ideas and programs than could be implemented within the bounds of available, or realistically foreseeable, resources. Too many programs are then held in readiness for future funding, driving up total costs and often ending in project downsizing or cancellation.

agencies must work together to increase the proportionate size and stability of the base-funded research program. As noted above, a steady development of new ideas is necessary to advance the field of space physics. With a larger, more stable core program, agencies can increase grant sizes and durations, enabling researchers to focus more on science and less on funding.

Recommendation No. 2: The funding agencies should ensure the availability of many more experimental opportunities by shifting the balance toward smaller programs, even if this necessitates a reduction in the number of future large programs. The future of space physics requires access to new research opportunities and the ability to train and develop new scientists. Although large programs have the potential to provide many experimental opportunities, their risk of failure must be counterbalanced by more frequent small programs.

Recommendation No. 3: In anticipation of an era of limited resources, the space physics community must establish realistic priorities across the full spectrum of its scientific interests, encompassing both large- and small-scale activities. In the absence of clear priorities, programmatic decisions will ultimately be made on the basis of considerations other than a rational assessment of the value of the program to the nation's scientific progress. Scientific goals should not be lightly altered or set aside, and ongoing projects initiated in response to established scientific priorities should be insulated as much as possible from the effects of short-term fluctuations in resources. Prioritization must include an assessment of the balance between the capabilities and limitations of both big and little science.

Recommendation No. 4: The management and implementation processes for the space physics research program should be streamlined. Requirements put in place to ensure accountability and program control are now taking their toll in delays and inefficiency. Planning, reviews, oversight, and reporting requirements should be reduced in many instances, even at the expense of assuming a somewhat greater risk. Recognizing the strong self-interest of researchers to succeed, greater authority should be delegated to principal investigators, who on the whole have demonstrated their ability to get results more quickly and efficiently.

Introduction

Recent years have witnessed a rapidly escalating debate on the process and adequacy of research funding in the United States. In this debate strong opinions have been voiced concerning the relationships and relative merits of issues such as "big" science versus "little" science, centers of excellence versus individual initiatives, and directed research versus unconstrained research. Intimately related to this debate is a perception that U.S. research capabilities have steadily eroded despite substantial increases in research budgets. Most of the discourse, generally anecdotal, has taken place at meetings, in hallways, and through the media via letters and articles. Only rarely have reports (Lederman [1], OTA [2]) addressed various aspects of the issues raised.

The same debate flourishes in the scientific fields served by the Committee on Solar-Terrestrial Research (CSTR)/Committee on Solar and Space Physics (CSSP). The committee deemed it timely to address the issues involved and, like the Lederman report, seek to resolve the basic paradox behind the question:

Why has increased research funding been accompanied by decreased effectiveness in the conduct of space physics research?

If the paradox is real, it becomes important to discover its causes. Decreased effectiveness, and the accompanying widespread dissatisfaction in the research community, may be symptomatic of a system that is not serving either space science or the public interest. Consequently, members of the CSTR and CSSP set out to assemble a data base of information on grant programs and science projects supported over the past two decades by the main funding sources for these communities.²

The resulting data set consists of a combination of data from individual scientists, the funding organizations, and other supporting institutions (e.g., American Geophysical Union, International Association for Geomagnetism and Aeronomy, International Council on Scientific Union's Committee on Space Research). This report presents the trends identified in the data and discusses them in the context of the issues mentioned earlier.

No organization has collected the exact kind of data needed for this study. As a result, the committee was necessarily limited by incomplete information and by the frequent need to identify plausible surrogates for many of the actual attributes and trends under investigation. In some cases the incompleteness of the data sets allowed us to use them only as suggestive evidence, illustrative of the trends perceived by committee members and other long-time practitioners in the field. Nevertheless, the committee was able to use the data to illuminate a variety of perspectives on the many issues associated with the space physics paradox.

This report differs from others that have touched on the same topic. For example, the Lederman report [1] is a synthesis of some 250 replies from individual scientists across a spectrum of physical science disciplines who responded to a questionnaire on research funding and productivity. The resulting anecdotal data base gives a powerful and disturbing assessment of a deteriorating research capability in the United States. However, other than recommending an 8 to 10 percent per year real growth in U.S. research funding, the Lederman report does not (and was not intended to) present solutions or suggest approaches to specific issues.

lent background material, data, and perspectives on federally funded research. It also makes clear that the established methods used for the past 40 years to fund research in the United States are changing, and changing rapidly.

The present report addresses research funding issues specifically in the fields of solar, solar-terrestrial, and space plasma physics. Like the Lederman report [1] it has been stimulated by our colleagues' anecdotes. We have tried to extend the analysis and sharpen the issues by linking these tales of frustration to trends in funding and project management. Like the OTA report [2], we look at data trends as a way of examining the different sides of the issues involved. However, where possible and appropriate, we have taken the next step—by drawing conclusions and making recommendations. All of the recommendations are made in the spirit of requiring no additional overall resources. It seems likely that the broad themes and concerns expressed in this report are not unique to the field of space physics. We hope that a detailed analysis of this specific field will help shed light on a systemic problem and at the very least open a productive dialogue between the research community and the funding agencies.

Throughout the remainder of the report, the term space physics is used as a designation for the research areas served by the CSTR/CSSP: solar physics, heliospheric physics, cosmic rays, magnetospheric physics, ionospheric physics, upper-atmospheric physics, aeronomy, and solar-terrestrial relations. The report is organized into seven chapters. Chapter 2 presents a discussion of big science and little science issues relevant to this report. Chapters 3 and 4 present, respectively, funding and demographic trends in the research community generally, with specific examples from space physics. Chapter 5 discusses the results and implications of these trends for the base-funded program. Chapter 6 presents trends in the conduct of science observed for various elements of space physics. Finally, Chapter 7 synthesizes the report's findings into a set of conclusions and recommendations.

Big Science, Little Science, and Their Relation to Space Physics

It has been the nature of science to grow—and to grow rapidly, outstripping population growth. De Solla Price [7] has shown that science has been characterized by an exponential growth rate for the past 300 years. This growth, measured by various manpower and publication parameters, is characterized by a doubling period of 10 to 20 years. Data analyzed by De Solla Price included scientific manpower, number of scientific periodicals, numbers of abstracts for various science fields, and citations. While the absolute values of these growth rates display a range of uncertainty, the general result is that the growth of science has been both long and rapid. This rapid growth is characteristic of all scientific subfields, old and new.

To appreciate how rapid a growth this is, note that the exponential growth of the general population shows a doubling period of about 50 years. Using 15 years to denote the doubling period for science, the ratio of the number of scientists to the general population doubles about every 20 years. Clearly, this trend cannot be sustained indefinitely. In fact, De Solla Price suggests that the problems facing science at this time are a reflection of its unusually long and rapid growth, a growth that, when compared with the much slower growth in the general population, may finally be straining the present economic fabric of soci-

Little science is usually represented by the lone researcher working in the laboratory on self-chosen problems, generally oblivious to the needs and/or requests of society. Big science, on the other hand, is often envisioned as a huge project or institute, managed by a bloated bureaucracy that directs, usually by committee, the scientific paths of many researchers. These are unsatisfactory and largely inaccurate generalizations that have led to more sterile argument than productive discussion.

One of the main reasons for this situation is that there is no absolute definition of big or little science. There seems to be a tendency in experimental science for small endeavors to evolve into large ones. Therefore, the bigness or smallness of any given scientific effort will depend on when it is observed within the evolution of its scientific subfield. In addition, the perceived size of a scientific project will vary from one subfield to another, as well as from one funding agency to another. What is considered a small satellite project is a very large project for rocketry or ballooning; what is a small project for the National Aeronautics and Space Administration (NASA) is generally a large project for the National Science Foundation. Furthermore, what is considered a small project today generally was thought to have been a large project years ago. This latter effect—the time dependence of the accepted measures of big and little project sizes—is a strong function of technological advances in the field. For example, today's desktop computers far outstrip the capabilities of the best mainframes of two decades ago—the big computer of yesterday is the little computer of today. A similar evolution has occurred in the space physics experimental arena, with the result that even today's small experiments are more sensitive, capable, complex, and expensive than those considered large in earlier years.

Although it is not possible to formulate accurate, universal definitions of big science and little science, it is possible to recognize each at a given point in time, in a particular subfield, and within a specific funding agency. The discussion in this report is based on researchers' perceptions of what constitutes big and little science, even though, as mentioned above, these terms vary by agency, subfield, and time.

CHARACTERISTICS OF BIG AND LITTLE SCIENCE

the field, as well as the unexpected results that often dramatically alter current perspectives. With an appropriate balance, there can be a strong synergism between large and small science that greatly enhances the productivity of the field.

Table 2.1 presents a concise list of some current characteristics of big and little science, as viewed from the space physics perspective. Because the terse

TABLE 2.1. Some Current Characteristics of Rig and Little Space Physics

Science	istics of big and Little space Physics
Big Science	Little Science
Broad set of goals	Specific goal
Interdisciplinary problems	Discipline-oriented problems
Scientific goals defined by committee	Scientific goals defined by individual researcher/small group
Researchers selected to fulfill program goals	Researcher sets program goals
Long implementation time	Short implementation time
Infrequent opportunities	More frequent opportunities

Large, complex management structure Minimal management structure High cost Relatively low cost Highly variable resource time line Relatively stable resource time line New-start funding process Base funding

Supports science community

throughout project

Supports project managers, engineers,

administrators; science support comes

at end of long planning, selling, implementation phases

Goals

Big science programs generally pursue broad sets of scientific goals that span the interests of several subfields. These goals are often backed by an influential constituency. Such programs are characterized by size (of both personnel and sheer physical infrastructure), complexity, and/or the numbers of experimental opportunities provided. Small science programs tend to address limited scientific goals, providing answers to specific science problems of importance in their research field.

Interdisciplinary Problems

Large programs represent an effective (and at times the only) way to pursue interdisciplinary science problems. Small science programs generally focus on problems within a single scientific discipline.

Project Definition

Because of the broad set of goals involved, definition of the science in large programs is accomplished through the use of committees representing all pertinent elements of the research field. In small science programs the more limited scientific goals are defined by the individual researcher and/or the small group involved.

Investigator Selection

Investigators in large programs are selected to fulfill the scientific goals set forth by the committee defining the program. In this sense big programs are often thought of as "managed" programs. However, it should be noted that a significant amount of independent research is often supported by such programs. In small programs, investigators are funded on the basis of the science that they propose within the program they have defined.

Implementation Time

frequency.

Management

Large programs generally use large and complex management structures, while small programs are more often characterized by smaller, streamlined management structures. (Recently, large program management requirements have been increasingly applied to small programs with unfortunate results, as discussed in Chapter 6.)

Costs

Large programs are expensive; small programs are less expensive. However, it is important to remember that big science and little science vary from subfield to subfield, agency to agency, and notably in time. For example, the NASA Global Geospace Sciences mission, costing approximately \$400 million, was thought of as a large mission when it was formally defined in 1988; today it is still considered a large mission in many quarters of space physics. However, a 1991 planning study [9] indicated that, at that time, NASA considered missions in the \$300 million price range to be moderate, again showing the relative nature of big and little in time. Similar trends appear in other funding agencies.

Time Line for Resources

Because of the long implementation times and large costs involved, big programs result in a peak/valley resource time line, especially with respect to the science community supported by the mission. Small programs, because they are usually supported from base funding, can provide in the aggregate a relatively stable resource time line and are thus an important factor in maintaining the science infrastructure of the field.

Funding Process

ture. A smaller operations effort is required during the mission's operational phase. Direct research support becomes available at the end of a long planning, selling, and implementation phase. Small science projects generally support the science community directly throughout the project's lifetime.

Educational Support

Due to their long planning and implementation times, large space physics programs generally are not appropriate training grounds for students (graduate and undergraduate) until these programs enter their operational and data analysis phases. At this time a substantial opportunity becomes available for data analysis and interpretation. (Data in Chapter 4 suggest that one result of this characteristic is an increasing average age for experimentalists and a decreasing average age for data analysts in space physics over the years.) Student support in small science programs is possible, and often required, throughout the planning, implementation, and data analysis phases. This provides excellent hands-on experience in experimental research and scientific program management, as well as in data analysis and interpretation.

Resource Share

Over the past decade, big science programs have come to command a dominant and increasing share of available funds (see Chapter 5). Conversely, small programs now represent a minor and decreasing share of the budget. Perhaps more importantly, the research efforts of small science are very vulnerable (sometimes to the point of extinction) to even small percentage cost overruns in big science projects.

Historical Interactions

A look at the history of the field of space physics shows that both large and small science projects have been used to advance the field to its present state of knowledge. First, as will be shown in Chapter 4, the field itself has grown over

the large platforms providing a capability to perform larger and more complex measurements than ever dreamed of before.

Space physics advanced rapidly during this period. Little science not only supported big science with the results of its research and discoveries but often itself evolved into big science operations. In a complementary fashion, big science supported little science by providing the platforms for experiments and data for many additional researchers and/or groups. A synergistic relationship existed whereby everyone seemed to benefit. Over the course of the 1980s, this symbiosis broke down. In large part, this report attempts to answer the question: "What went wrong?"

SUMMARY

Science grows, and in the past it has grown rapidly. Little science efforts often grow into larger ones, with the result that the recognition of what is big science and little science changes not only from field to field and agency to agency but also continuously with time. Current characteristics of big and little science, in the field of space physics, can be loosely defined. Big science projects attack broad problems with sophisticated technology and bring with them complex management structures, long implementation times, and high price tags. Small science projects involve individuals, or small teams of researchers, pursuing specific research goals via relatively inexpensive experiments that can be rapidly implemented.

We have seen that in the past big and little science projects in space physics were supportive of one another and synergistic in the research being pursued. Results of small science programs often motivated and formed the rationale for big programs; these big programs in turn provided many additional opportunities for the individual researcher.

Over the past decade tensions have developed between large and small science in the space physics community. Clearly, there can be no either/or; an appropriate dynamic balance between the two approaches must be found. This balance will vary both in time and from subfield to subfield. It is a balance that must be established and continually updated by the space physics research community and reinforced by the funding agencies.

Research Funding Trends

The main purpose of this chapter is to document the earlier statement that funding for all scientific research has substantially increased over the past decade. The bulk of the data were taken from the OTA report [2], which used the research expenditure compilations prepared by the National Science Foundation (NSF) in the report Federal Funds for Research and Development: Detailed Historical Tables, Fiscal Years 1955-1990 [10].

Figure 3.1 shows a history of federally funded research from 1960 through 1990. Associated with the advent of the space age, there is a large increase in federal research funding that peaks in 1965 and then gradually declines until 1975. Since 1975, the nation's research funding has shown a steady increase, resulting in better than a 40 percent growth in constant-year dollars. It is the past 15 years, since 1975, that the present report addresses.

This increase is also observed as an increasing share of the Gross National Product (GNP). Figure 3.2 shows both total and nondefense research and development (R&D) expenditures as a percentage of GNP for the United States and four other countries, Federal Republic of Germany (FRG, now Germany), Japan,




FIGURE 3.1 Federally funded research (basic and applied), fiscal years 1960-1990 (in billions of 1982 dollars). Source: National Science Foundation, Federal Funds for Research and Development, Detailed Historical Tables: Fiscal Years 1955-1990 (Washington, D.C., 1990), Table A; and National Science Foundation, Selected Data on Federal Funds for Research and Development: Fiscal Years 1989, 1990 and 1991 (Washington, D.C., December 1990), Table 1.

Note: Figures were converted into constant 1982 dellars using the Gross National Prod




FIGURE 3.2 R&D expenditures as a percentage of gross national product, by country. Source: National Science Foundation, *National Patterns of R&D Resources: 1990*, Final Report. NSF 90-316 (Washington, D.C., 1990), Tables B-18 and B-19.

France, and the United Kingdom. The fraction of the GNP represented by total R&D expenditures in the United States has increased by about 27 percent since 1975, while the nondefense R&D fraction has increased by about 25 percent. Thus, the growth in research funding in the United States has exceeded the growth in the GNP. The higher percentage for nondefense R&D in the FRG and Japan seen in Figure 3.2 reflects the fact that these countries have not had to support a defense-related R&D program.

Figure 3.3 shows federally funded research by performer for the years since 1969. It can be seen that the university research community, the main beneficiarry of the increase shown in Figure 3.1, has received an additional 2.5 billion constant-year dollars (an increase of over 70 percent) since 1975. Note that the federal government's share has remained steady and at a relatively high level.

Figure 3.4 shows the overall research funding trend for the National Aero-




FIGURE 3.3 Federally funded research by performer, fiscal years 1969-1990 (in billions of 1982 dollars). Source: National Science Foundation, Federal Funds for Research and Development, Detailed Historical Tables: Fiscal Years 1955-1990 (Washington, D.C., 1990), Table 17; and National Science Foundation, Selected Data on Federal Funds for Research and Development: Fiscal Years 1989, 1990 and 1991 (Washington, D.C., December 1990), Table 1.




FIGURE 3.4 NSF and NASA research funding (in millions of constant 1982 dollars).

Related to the basic research funding issue is the question of how much of this funding actually leaves the funding agency and reaches the nonfederal research community, primarily universities and colleges (e.g., see Figure 3.3). It might be expected that agencies whose main responsibility is to support research would allocate the majority of their resources to the university research community. On the other hand, agencies with strong mission and operational responsibilities may perform much of their research in-house. Using data from the NSF report on federal research expenditures [10], we find that for the past 15 years the ratio of in-house research obligations to total research obligations ranged from approximately 10 percent for the NSF, 30 to 50 percent for NASA and the Department of Defense (DoD), 70 to 80 percent for the National Oceanic and Atmospheric Administration. This is in agreement with the qualitative expectations mentioned above. Data for the past several years also show that for NASA and DoD this ratio has been decreasing, showing an increased fraction of their research funding leaving these agencies.

Table 3.1 summarizes various elements of the growth in research funding in the United States from 1981 through 1989. The percentage values shown have be nadjusted to the closest 5 p. reent increment. The top five elements are taken

	Constant-Year Dollar Growth,
Element	1981-1989 (%)
Federally funded research (FFR)	30
FFR basic	55
FFR in universities	55
NASA basic	100
NSF	30
NASA/OSSA with flight projects	60
NASA/OSSA without flight projects	45
Seven-university sample (funded by NASA/OSSA)	20-40

Funding for NASA's Office of Space Science and Applications (OSSA) includes substantial amounts for project-related activities. As these activities often include substantial support for industry, they were removed from the university funding estimates to obtain a lower limit to that funding, and the result is shown in Table 3.1, where funding growth, with and without projects, is given.

An illustration of these research funding trends can be found in data from seven universities receiving NASA/OSSA funds over the 1981-1989 period. Funding changes ranged from a 35 percent decrease to a 245 percent increase, with an average value of 40 percent growth, as shown in Table 3.1. If the possibly anomalous 245 percent increase is removed from the sample, the average growth would be 20 percent. Although the sample is small and the growth experienced from university to university varied widely, it does appear that the average growth in NASA/OSSA funding in space physics fields at these seven universities has been consistent with the national trend in research funding.

Demographics

This chapter presents general demographic trends within the space physics community and relates them to the funding trends discussed in Chapter 3. To assess the health of the field, the committee sought data that might indicate trends in the number of scientists studying space physics, the age distribution of these scientists, and the kinds of projects they are engaged in. Of course, scientists in the various disciplines that fall under the purview of the Committee on Solar-Terrestrial Research and the Committee on Solar and Space Physics are not conveniently listed in a central registry, but they do tend to belong to certain professional societies. One particular organization—the American Geophysical Union (AGU)—has elements of all the subdisciplines and should therefore give a good overall indication of the field's growth. Figure 4.1 shows the membership of the AGU and its Space Physics section (now called Space Physics and Aeronomy) from 1974 to 1991. Very steady growth is seen for both the union and its space physics component. During the 1980s, both grew at a much faster rate than in the 1970s, with the space physics fraction growing slightly more slowly than the parent organization. The number of graduate student members in the AGU also is shown in Figure 4.1. Although this number may be a less reliable measure of the actual manufation it does show similar arounts transfer




FIGURE 4.1 Growth of space physics community within the American Geophysical Union.




FIGURE 4.2 Growth of American Astronomical Society's Solar Physics Division membership. Source: Karen Harvey, AAS/SPD Treasurer.

time intervals over which data are available. The data on percentage growth for federally funded basic research, for the National Aeronautics and Atmospheric Adminstration's (NASA) Office of Space Science and Applications (OSSA) research funding, and for the National Science Foundation's (NSF) research funding are taken directly form Chester 2. Figure 2.1. Table 2.1. Table 4.1.

Percen		itage Growth	
Item	1974-1990	1981-1989	
AGU Space Physics Community	90	50	
AAS Solar Physics Community		40	
Federally funded basic research	100	55	
NASA/OSSA research funding		45-60*	
NSF research funding		30	

^{*}See Table 3.1.




FIGURE 4.3 Measures of space physics growth.

of space physics abstracts is also shown for the last nine years. The meeting




FIGURE 4.4 Space physics community survey positions of primary responsibility.

on Space Research (COSPAR) and the International Association of Geomagnetism and Aeronomy (IAGA).

NASA's Space Physics Division [5] recently attempted to gather additional information concerning the demographics of the U.S. space physics community. A questionnaire was sent to 1,770 members of the community on January 2, 1991, and 686 replies were received. While no attempt was made to ensure a representative sample, and the response rate was only about 39 percent, it is instructive to look at the trends that emerge. Figure 4.4 shows the breakdown by position of the respondents. The responses were dominated by persons categorizing themselves as research scientists, followed by university professors.

The 1991 National Science Board (NSB) study [11] of science and engineering indicators noted that "the average age of academic researchers increased in the past decade, continuing a trend that began in the early 1970s. The median age of academic researchers ros. from 38.7 years in 1973 to 9.7 years in 1979:




FIGURE 4.5 Space physics community survey age distribution.

pertinent subdisciplines of research (cosmic and heliospheric physics; ionospheric, thermospheric and mesospheric physics; magnetospheric physics; and solar physics) is quite similar. As a whole, the median age is a few years higher than that of the AAS membership, largely due to the greater number of respondents over age 50. This trend is particularly noticeable for NASA employees, who represent some 10 percent of those under age 40, some 15 percent of those in the median 40 to 50 bracket, and some 20 percent of those over age 50.

Figure 4.6 shows the survey breakdown by research technique and institution. Other than a slightly larger fraction of theoretical research in universities, the three research subdiscipline areas appear to be fairly evenly distributed in each research environment. A disturbing trend is illustrated, however, in Figure 4.7, which shows the fraction of each age group involved in the subdiscipline techniques of data analysis, theory, and instrumentation. The fraction of each group represented by experimentalists increases dramatically with age.

This of course leads to the question: Are we training a sufficient number of new experimentalists? A partial answer can be gleaned from the results of a separate NASA questionnaire completed by 130 graduate students. These re-

1. 1 1 17 27 01 1 1 10





FIGURE 4.6 Space physics community survey distribution of techniques by institution.



interesting indicators.

In responses to the NASA survey [5], 185 professors indicated that they were advising 342 graduate students working toward space physics dissertations. (These numbers refer only to graduate students who have started their research and do not include first- and second-year graduate students not yet committed to a space physics dissertation topic.) Half of those students were supported by funds from NASA's Space Physics Division; nearly 80 percent received some form of government funding.

Data available from the University of California at Los Angeles and the University of Chicago show that of 28 space physics graduates in the years 1964-1969, 12 are still in the field (43 percent); seven of these are university faculty members (25 percent). The corresponding numbers for the 1970-1979 period are 50 graduates, with 20 still in the field (40 percent) and 11 faculty members (22 percent). For 1980-1989 there were 29 graduates, with 23 still in the field (79 percent) and five faculty members (17 percent). Very few students (nine out of a total of 107 graduates) moved abroad after graduation. (It is interesting to compare these numbers to results of the NASA survey, where three out of four graduate student respondents indicated that they expected to remain in the field after graduation.) The high ratio of 1980-1989 graduates still in the field may be due to the increase in funding in the 1980s (Figure 3.1, Table 3.1). On the other hand, it may simply be a recent phenomenon, requiring a substantial input of fresh funds to retain these people in permanent jobs and make their current soft money positions available to the graduates of the 1990s.

The number of graduates that in time become faculty members indicates that "zero population growth" (ZPG) of faculty would occur for a lifetime number of around five students graduated per faculty member. The NASA survey [5] response showing an average of two graduate students supported per faculty member at a given time in space physics appears to be well above this ZPG level, consistent with the growth trends presented earlier in this chapter.

SUMMARY

The size of the space physics community has grown along with the funding increas s of the past two d cades as discussed in Chapter. The percentage



Base Program Funding Trends in Space Physics

Chapter 4 has shown that the increase in size of the space physics community has, within the accuracy of the available data, correlated with both the national and institutional funding trends presented in Chapter 3. All have increased measurably. This expansion may appear to contradict one assumption behind the space physics paradox, because it seems to imply that the field has benefited directly from increased funding.

In referring to "benefits" to the field, it is important to reiterate that this report examines the *conduct* of space physics science, that is, the funding and administrative processes that provide the foundation for research activities. It is beyond the scope of this report to judge the relative *value* of the discoveries made over the years or the power of the new ideas that have been generated. However, the committee does believe that there are connections between the conduct and the content of science. Because breakthroughs can come unpredictably from unexpected sources (and are often unrecognized until much later), the overall advance of knowledge can only be assured by giving a variety of researchers the opportunity to pursue their ideas.

In this chapter we look in more detail at how this era of increased funding has affected the base-funded research program in space physics. As discussed in

	1985	1986	1987	1988	1989	1990	1991
Number of competitive proposals	142	115	109	127	120	163	205
Number funded	101	78	76	80	67	90	129
Percent funded	71	68	70	63	56	55	63
Average duration (years)	1.9	2.1	2.0	2.5	1.9	2.0	2.1
Average size (\$1,000)	56	52	47	46	52	52	49
Average size (\$1,000 1985 dollars)	56	50	44	42	46	45	41
Total grants (\$1,000 1985 dollars)	5,656	3,900	3,344	3,360	3,082	4,050	5,289

aeronomy, magnetospheric, solar-terrestrial, and upper-atmospheric facilities. The UAS data on competitive proposals over a seven-year period are shown in Table 5.1. For this space physics portion of NSF, the total number of competitive proposals increased substantially in FY 1990 and FY 1991. The FY 1991 increase is due, in large part, to the start of the Geospace Environment Modeling (GEM) program. The fraction of proposals funded decreased slightly over this seven-year period, and the average grant duration remained at approximately two years. Of more significance is the observation that the average grant size in constant 1985 dellars decreased by about 25 percent over this interval

constant 1985 dollars decreased by about 25 percent over this interval.

Figure 5.1 compares these results with those from the other major source of space physics funding, the Space Physics Division of NASA. This division covers aeronomy, ionospheric, magnetospheric, cosmic rays, heliospheric, and solar physics. NASA and NSF data are shown in the figure for an overlapping time period of several years, with both data sets normalized to FY 1985 dollars. The data all show the same downward trend, although the NASA average grant size is about \$20,000 larger than the average NSF grant size. The actual buying




FIGURE 5.1 Space physics grant trends.

vidual researcher must write several proposals per year to remain funded and that this number is increasing. To get a rough yet quantitative measure of this trend, we can divide the annual cost of a research scientist (salary, overhead, travel, etc.) by the proposal success rate (number funded/number submitted), the average grant size (in dollars per year), and the average grant duration. For convenience, let us call this the Proposal Index (PI), where

PI =
$$\frac{\text{cost of scientist}}{\text{proposal success rate X average grant size X average grant duration}}$$

Assuming a research scientist cost range (as defined above) of \$120,000 to \$180,000 and using the NASA- and NSF-supplied values for the remaining parameters, we find that to remain funded with NASA support "Dr. Average" had to write one and one-half to two proposals in FY 1989 compared to two and one-half to four proposals in FY 1992. With over 100 additional proposals submitted to NASA's Supporting Research and Technology program in 1993 as compared to 1992, the PI will continue to grow. From the NSF data we obtain a similar PI value of two to three for FY 1991. Thus, the available data indicate that full-time researchers applying for NASA or NSF core funding must write an average of two to four proposals per year, with the number expected to grow in the future.

able funds, we obtain a measure of this overlooked cost burden. Let us call it the Hidden Overhead Index (HOI). Using financial data supplied by NASA, and simple assumptions about the cost of the review process, the NASA HOI was between 20 and 30 percent in FY 1989 and between 30 and 50 percent in FY 1992. For NSF, the HOI is around 10 to 15 percent for both FY 1989 and FY 1991. (This difference may be due in part to the manner in which NSF and

writing time, and by the average cost of a researcher (as given above in the calculation of the PI), adding the cost of the review, and dividing by the avail-

NASA interact with their respective research communities.) Nonetheless, the magnitude of this index is alarming. It indicates that the current funding cycle is very costly. It also appears that, in the case of NASA, as proposal success rates or grant sizes drop, the entire process becomes even less cost effective. We attempted to gain further insight into the trends in grant funding and its

role in contemporary research activities by examining the results of a survey sent to over 300 members of the American Astronomical Society's (AAS) Solar Physics Division. Unfortunately, the response rate was low (18 percent), and no attempt was made to normalize the sample. However, in the absence of more rigorous data, it is instructive to look at the trends for 1981-1991 as extracted from the 55 responses received. The respondents reported that during that period the number of submitted proposals per scientist per year rose from 1.1 to 3.0, while the success rate dropped from 94 percent to 62 percent. Factoring in the trend for granting only a fraction of the requested budget (91 percent in 1981,

versus only 45 percent in 1991), we find that for every dollar requested by these scientists, 85 cents was realized in 1981 and only 28 cents in 1991. The respondents estimated that the fraction of time spent doing actual science dropped from 74 percent in 1981 to 46 percent in 1991. (This result must be interpreted with caution since other factors may play a role as a researcher matures and accepts respondent), consistent with the 10- to 15-year doubling period noted in Chap-

broader responsibilities.) Over the 1981-1991 time period, about one-third of the respondents were 100 percent dependent on research grant income for their salary support. The number of Ph.D. graduates grew by 59 (more than one per ters 2 and 4. The reports from these 55 individual scientists in solar physics are consistent with the other data we examined: more proposals need to be written or s i ntist t sa g i u empl ed es t'ng n ess time for reic, larger science program or an *a priori* defined science problem. In contrast, core program funding generally supports "undirected" research within a broadly defined discipline. In some cases several undirected projects are grouped based on their similar thrusts to form a larger synergistic program, thereby providing a sense of direction to this group of projects.

Recent NSF projects belonging to the directed project category are the ongoing Coupling, Energetics, and Dynamics of Atmospheric Regions (CEDAR) program, the Geospace Environment Modeling (GEM) program, and the Radiative Input from Sun to Earth (RISE) program. Of interest within the context of this study is how the awards within such directed projects compare with the more traditional core program awards. Figure 5.2 shows the new award size distribution in the CEDAR program for 1991 and 1992. We see that the average size of the CEDAR awards has decreased significantly, similar to the trend shown for regular NSF grants in Figure 4.1.

As mentioned earlier, any increases in overhead expenses will further reduce the actual dollars received by the research scientist. Chapter 3 (Figure 3.3) showed that academia has been the largest benefactor of federally funded research. Figure 5.3 shows an estimate of the cost components associated with U.S. academic research budgets. The senior scientist component of Figure 5.3 indicates that the research community has expanded, consistent with our findings for space physics discussed earlier in this chapter. Figure 5.3 further shows a marked increase in indirect costs. To see how such an indirect cost increase affects the space physics researcher, we present data from the University of California at Los Angeles (UCLA) Institute of Geophysics and Planetary Physics, the primary administrative home of space physics at UCLA. UCLA overhead charges have increased by more than 50 percent since 1978, as shown in Table 5.2. Figure 5.4 shows the effect of this adjustment on NASA research funding at UCLA. The funding level, adjusted to FY 1991 dollars (using the consumer price index [CPI]) has fluctuated, with an overall increase of 40 percent. However, because of the increase in overhead charges, the actual increase in research support is only 25 percent. Figure 5.4 shows that the fraction of grant and contract funds that actually reach the researcher dropped from 78 percent in the late 1970s to 69 percent in the early 1990s.

The increase in every agent agents is consistent with date on employment not




FIGURE 5.2 Award size in NSF CEDAR program, 1991 and 1992.




FIGURE 5.3 Estimated cost components of U.S. academic R&D budgets, 1958 to 1988 (in billions of 1988 dollars). Source: Government-University-Industry Research Roundtable, *Science and Technology in the Academic Enterprise: Status, Trends, and Issues* (Washington, D.C., National Academy Press, 1989), Figure 2-43.

Note: Constant dollars were calculated using the GNP Implicit Price Deflator.; **Definition of Terms**: Estimated personnel costs for senior scientists and graduate students include salaries and fringe benefits, such as insurance and retirement contributions. Other direct costs include such budget items as materials and supplies, travel, subcontractors, computer services, publications, consultants, and participant support costs. Indirect costs include general administration, department administration, building operation and maintenance, depreciation and use, sponsored research projects administration, libraries, and student services administration. Equipment costs include reported expenditures of separately budgeted current funds for the purchase of research equipment and esti-

Year	(%)	Research
1978	28.1	0.78
1982	35.4	0.73
1985	42.5	0.70
1989	43.5	0.69

contracts and grants has grown, and this increase in overhead charges has reduced the fraction of research funds that actually support research.

SUMMARY

Previous chapters demonstrated that total funding and the overall size of the space physics community have both increased at basically the same rate. This chapter looks more closely at the base-funded program in space physics, the traditional source of support for little science, and finds that the picture is not so rosy. Although the number of proposals submitted has increased, the fraction receiving funding and the average grant size have decreased significantly over the past decade. At the same time, university overhead rates have claimed a growing chunk of grant monies.

These factors combine to paint a picture of research scientists struggling to remain funded. The average space physics scientist must now write two to four proposals per year, twice the number required five years ago. Translating this time drain into dollars, we estimate that the writing and reviewing of submitted proposals currently represent a hidden cost that may be as large as 50 percent of the funding being awarded.

Clearly, the base-funded program has not participated proportionately in the overall space physics research funding increase. Although we do not attempt to quantify the effect this has had on the quality of science produced, we can conclude that the core program has become much less efficient during the past




FIGURE 5.4 NASA grants and contract history at UCLA broken down into total funds, amount actually available to the researcher, and the percentage of total funds available to

Trends in the Conduct of Space Physics

This chapter identifies further trends in the implementation of scientific research in areas of interest to the Committee on Solar-Terrestrial Research (CSTR)/Committee on Solar and Space Physics (CSSP) and relates them to the funding and demographic trends discussed in Chapters 3 to 5. Data have been provided by the funding agencies or assembled by CSTR/CSSP committee members, and individual examples are used where appropriate. Much of the data on past programs were difficult to obtain, especially with respect to parameters defined in hindsight. Nevertheless, trends can be discerned that contribute to a historical perspective.

SATELLITE OBSERVATIONS

Explorer Program

A vital element of space physics research is the availability of in situ data. Without intending to imply that quantity equals quality, one relevant measure of space physics research opportunities remains the number of launches and experiments. A mainstay of the space physics research program, the National Aeropautics and Space Administration's (NASA) Explorer Satellite Program pro-




FIGURE 6.1 Space-physics-related Explorer launch history: number of launches and satellite mass.

Figure 6.1a shows the number of Explorer launches from 1958 to the present, along with projected launches for programs approved through 1997 (projected launch times should be considered uncertain). The data show a clear and continuing decrease in space-physics-related launches since the 1960s. However, we are not able to conclude from this result alone that the number of research opportunities has decreased. If, for example, satellites increased in size and thus carried more experiments, the number of actual research opportunities (as measured by experiments flown) may not have decreased.

Figure 6.1b shows the mass evolution of the Explorer satellites. Again, the masses shown for future launches should be considered uncertain. The figure shows a general increase in Explorer size since 1958. Further, it appears to be possible to separate the data into two categories: small and large Explorers. (Interestingly, this implies that at a very early stage, the space physics community saw the need for *both* small and large missions.)

How do these factors affect the number of experiments flown? Figure 6.2




FIGURE 6.2 Space-physics-related Explorer launch history: number of launches and number of exp

Time Interval	Launches	Experiments
1958-1969	23	119
1970-1979	11	125
1980-1989	5	27

low in the 1980s that the number of experiments flown experienced a drastic reduction. Table 6.1 summarizes these results.

The preceding figure and table show that experimental research opportunities for space physics within the NASA Explorer satellite program have become much more scarce since the 1970s.² This trend was recognized in the early 1980s and discussed in a previous National Research Council report [13] that argued strongly that NASA return to its earlier philosophy of making available to the scientific community more small and rapidly implemented satellites dedicated to focused scientific problems.

Implementation Times

The desire for rapid implementation discussed in the Explorer program report [13] also represents an important parameter in the conduct of space physics. Ideally, implementation should be on time scales that allow support of contemporary science questions, experimental research teams, graduate students, timely data analysis, and theoretical studies. The CSTR/CSSP has assembled a data base of space-physics-related launches in order to investigate the time required to implement these satellite projects. (The data base is described more fully in Appendix A.)

The implementation time is defined as the time from mission start to satellite launch. The start date is usually set at the date that investigators wrote proposals to place instruments on the spacecraft. This date was chosen because it represents a well-defined starting point that exists in some form for most missions. Where only the proposal year was known, July 1 was used as a start date. In other cases the start dates were obtained directly from the principal




FIGURE 6.3 Implementation times for space-physics-related missions, 1958-2000.

Note: Launches for which reliable start dates could not be obtained are not included in this figure.

Figure 6.3 shows the implementation times for the space-physics-related missions in the CSTR/CSSP data base. Arrows showing the effect of a one-year delay are given for projected launches of approved programs. Explorer missions and other NASA space-physics-related missions are identified separately. The figure shows a striking increase in implementation times, from one to two years in the early 1960s to 10 to 12 years in the late 1980s. All mission types show a steady increase in implementation time.

As so eloquently argued by Freeman Dyson [14], this large an implementation time (over 10 years) represents "a terrible mismatch in time scale between science and space missions." It does not provide support for contemporary

that I hysics (1311) program. The two 3.5. 335 saterities are seneduced for launch in 1994 and 1995 and are represented in Figure 6.3 by implementation times (based on proposal submissions in 1980) in the 14- to 15-year range. However, formal planning for this mission actually began in 1977 when NASA established an ad hoc committee to define a program named the Origins of Plasmas in the Earth's Neighborhood, or OPEN. In parallel with this effort, the CSSP developed a research strategy in space physics for the 1980s [16]. The OPEN ad hoc committee issued its report in 1979 [15], describing a major NASA program that would pursue an important part of the research strategy developed by the CSSP [16]. NASA issued an Announcement of Opportunity in 1979, proposals were written in 1980, and experiments were selected in 1981. Following extensive policy and programmatic planning activities, the OPEN program evolved into the ISTP program, wherein the NASA contribution was sharply limited, and ESA, ISAS, and IKI agreed to provide major contributions. Formal approval of the ISTP program finally occurred in 1988. The net result was that not only were there an additional three years of planning activities prior to proposal submissions, but a large portion of the approximately 12- to 14-year implementation time shown in Figure 6.3 was taken up by planning, policy, and political activities.

Such planning removes resources from the direct support of research, is often spent on missions that are not flown, and rarely reduces the cost of a mission. Indeed, it can be argued that excessive planning *increases* mission costs. Appendix B presents a detailed case study from the field of solar physics that illustrates these effects. It provides insight into how excessive planning and study activities arise and shows the potentially devastating effects to a research field and its relations with funding agencies.

Reliance on New-Start Approvals

The ISTP program illustrates another trend in space physics programs, namely, the increasing reliance on major programs that require new-start approval on a project-by-project basis by Congress. A recently completed NASA Strategic Plan [9] for space physics describes a research program through 2010 that is

planned NASA space physics program through 2010.

One reason for this increasing reliance on major new-start programs

One reason for this increasing reliance on major new-start programs has been the search for additional flight opportunities to compensate for the greatly reduced number of opportunities available to space physics through the Explorer program after 1980. A second incentive for this shift has been the emergence of scientific problems requiring experimental platforms of greater size and complexity than before. The net result of these effects is a space physics program that relies on big science projects to a much greater degree than in the past.

Partly because of budgetary and community pressures, NASA has recently begun to rejuvenate the Explorer program. The Small Explorer Program (SMEX) was initiated with the successful launch of the Solar Anomalous and Magnetospheric Particle Explorer (SAMPEX) mission. Two additional SMEX missions are being built, and NASA expects to continue selecting and launching these missions on a regular basis. Further plans, not yet funded, call for university-class and medium-sized explorers; it is too early to predict the future of these plans. An expanded Explorer program would be a positive and welcome step toward alleviating the serious problem of infrequent access to space.

SOLAR OBSERVATIONS

Solar physics presents a unique opportunity to analyze trends in the implementation of its scientific requirements. It requires large-scale facilities both for its space-based and its ground-based observatories. Although the evolution of solar satellites and instrumentation has moved toward larger, more complex and costly systems, as described in the previous section, this is not true for the ground-based observatories. Large solar observatory projects conducted over 30 years ago were major undertakings fully comparable to present programs. For this reason the comparison of solar satellite and ground-based implementation trends may provide a measure of the relative contributions of technical (e.g., size, complexity) and nontechnical (e.g., administration, management, funding procedures) factors to increasing implementation times.

Implementation of Solar Satellite Missions

release of the Announcement of Opportunity for the mission, the U.S. spacecraft was canceled, leaving only the European spacecraft with its instruments for studying solar fields and particles intact but with no capability to image their solar sources.

The prelaunch phase is taken to begin with an Announcement of Opportunity (AO) that solicits proposals for scientific instruments to be carried on the satellite. This is by no means a general characterization of prelaunch activities; it is simply an attempt to place a lower bound on the period during which a space researcher must devote a substantial fraction of his or her professional effort to a particular space-borne experiment. The AO is usually preceded by a period of study and planning in which scientists are heavily involved. Thus, the prelaunch phase as defined here typically underestimates the period of involvement for selected experimenters, sometimes by years.

The actual AO date was used in most cases. (For some of the Orbiting Solar Observatory (OSO) missions, the AO date was estimated based on other related dates.) The instruments on the Skylab Apollo Telescope Mount (ATM) were originally proposed for the canceled Advanced Orbiting Solar Observatory (AOSO), so the prelaunch phase is taken to begin with the AOSO opportunity. The Orbiting Solar Laboratory (OSL) is discussed extensively in Appendix B, but for the present purpose its origin is taken to be the AO for the Solar Optical Telescope issued in April 1980. The launch date is estimated by assuming that a new start for OSL will not occur before 1997. In the case of missions primarily sponsored by ESA (Ulysses, Solar and Heliospheric Observatory [SOHO]) or the Japanese space agency (Yohkoh), the prelaunch phase is dated from the NASA AO for participation by U.S. scientists.

The results are shown in Figure 6.4. For missions yet to be launched, arrows show the effect of a one-year delay. The early OSO satellites were part of a series, with multiyear funding and a spacecraft design that remained relatively stable. At the other end of the spectrum is the OSL. If this mission eventually flies, it will be both the most delayed and the most ambitious solar physics mission ever, by a wide margin (see Appendix B). Over the entire period, 1970-1992, the trend is consistent with that shown in Figure 6.3 for space physics satellite missions in general. The rise in implementation time has been




FIGURE 6.4 Implementation times for solar physics missions, 1962-2005.

tioned above, Skylab/ATM evolved from the canceled AOSO mission. The character of NASA's participation in Ulysses changed drastically after the AO was issued. In the case of OSL, the AO was issued in anticipation that the mission would be approved; if it is ever approved, over 15 years will have elapsed since the AO date. Experimenters do not play a passive role when missions are redefined or rescoped. To maintain their participation in the mis-

effect is even more pronounced when the mission as a whole has not yet been assured new-start approval. Although the political process should ensure responsible government control over large public expenditures, it often has unintended negative consequences; delay and inconsistency lead to inefficient use of human and financial resources.

Solar Ground-Based Observatories

This section presents data on the proposal, design, and construction phases of ground-based solar telescopes in order to identify trends and relate them to project cost. Only national or international facilities costing at least \$4 million (1991 dollars) are considered. This makes for a homogeneous sample but excludes several major university observatories.

The beginning of a project is taken to be the date of the proposal or, if it can be clearly identified, the date of a study or site survey that led directly to the proposal. In analogy to the launch of a space mission, the end of the project is taken to be "first light," even though significant testing and improvement usually occur for some time after that.⁴

Costs were converted to 1991 dollars according to the NASA (Code BA) new-start inflation index to reflect the rates of inflation that characterize the technical sector. The cost for the Large Earth-based Solar Telescope (LEST) is taken to be the U.S. share, one-third of the total.

Summary time lines for these observatories are shown in Figure 6.5. The projects divide naturally into an earlier group of three major telescopes and two ongoing projects, the Global Oscillation Network Group (GONG) and LEST.

Figure 6.5 indicates that it takes longer to plan and execute major ground-based projects than it did 20 to 30 years ago. The comparison can be made more directly for these ground-based projects than for space missions because there has not been the same striking evolution in the complexity, scope, and cost of ground-based efforts. The McMath Telescope project, executed in less than five years, was a major undertaking fully comparable to current programs; the McMath and LEST were each designed to be the world's largest solar telescope, and the McMath still is.




FIGURE 6.5 Time line showing implementation times for a number of ground-based solar facilities, 1957-1999. (Bars indicate development and construction time; arrows indicate first light; all costs are given in FY 1991 dollars.)

Table 6.2 compares some of the characteristics of the McMath Telescope and the LEST project. Figure 6.6 compares their project time lines in more

Scientific and technical advisory committees
>14-year duration (in progress)


Although the international character of LEST has complicated its overall coordination and funding, increased effort in the proposal and advocacy phases can also be identified within each participating country. Table 6.2 shows that the period of active involvement for participating scientists (writing the proposal, advocating the project to funding agencies, and participating in or responding to oversight committees) plays a much more prominent role in LEST.

Probably the single most important factor behind increasing implementation times for major ground-based solar projects is the advent of multistage funding. The McMath, Sacramento Peak Tower, and Kitt Peak Vacuum telescopes were funded with a single transfer of money to the managing organization. From that point the progress of the design and construction phases was limited only by technical issues or practical considerations internal to the project. Basically, the telescopes were built as fast as they could be soundly built.

Figures 6.7 and 6.8 illustrate the effect of multistage funding on the progress of the GONG. Even though the overall project budget and timetable were judged reasonable when the project was approved, in none of the first five years did the actual funding reach the proposed profile. After three years, funds were short by a factor of two. The effect of this mismatch in resources will be a delay of at least three years and an increase of more than 30 percent in total (constant-dollar) cost.

As discussed above, funding decisions are part of a broader, often political, process with many competing demands. However, it is important for decision-makers and the public to understand the true costs, in dollars and morale, of these kinds of project delays and midcourse changes in funding.

Figure 6.3 showed that implementation times for solar satellite programs have increased from two to three years in the early 1960s to the present value of well over 10 years. In the solar ground observatory program, where there has been a much less dramatic evolution in complexity than in the satellite program.



program.

we also see a major increase in implementation times. Much of this has been due to changing managerial and funding procedures. Much more time is spent in study, planning, selling, and oversight activities, all of which add to the final cost. Funding is apportioned on an incremental basis that usually falls short of




FIGURE 6.7 Budget history for the GONG program. (Estimated total cost \$20M in FY 1991 dollars.)

as large an impact on increasing implementation times as have the elements of project size and technical complexity.

ROCKET OBSERVATIONS

The NASA suborbital program supports scientific experiments carried out on airplanes, balloons, and sounding rockets. The experiments come from disciplines in astrophysics, earth sciences, microgravity research, solar physics, and space plasma physics. This section is limited to discussion of sounding rockets in space physics research.

Sounding rockets provide unique capabilities not easily attained by other means. For example, sounding rockets are the only vehicles that can launch payloads to observe space phenomena from unique geographic locations, altitudes, and times. Thus, sounding rocket experiments can accomplish specific scientific goals and have been especially valuable in obtaining information on small-scale and ra id temporal features that are difficult to obtain from rapidly




FIGURE 6.8 Time line for the GONG program.




FIGURE 6.9 NASA rocket payload masses, 1960-1991.

creased over the past decade. However, the percentage of large rockets included in those launches has increased markedly, from 24 percent in 1984 to 64 percent in 1991.

Sounding rocket grants are awarded for a three-year period to cover the experimenter's expenses for fabrication, launch, and data analysis. The funding level per experiment and the number of experiments supported by the Space Physics Division were fairly steady through the 1980s (Figure 6.11). Note the change that occurred in 1990: the funding level per grant was reduced from the 1989 average of \$200,000 to \$150,000. This occurred because the total number of grants supported increased from 29 to 41, without an increase in the overall funding level.

NASA's suborbital program serves an extremely useful function to the scientific community. It provides the opportunity for (1) research groups in industry, university, and government laboratories to develop space-borne instruments for orbital missions; (2) university research groups to train graduate students in




FIGURE 6.10 Number of NASA rocket launches, total and for space physics, 1982-1991.

launches decreased by approximately 45 percent, but payload weight increased




FIGURE 6.11 NASA space physics rocket program: average grant size in 1991 dollars (solid bars) and number of grants funded (numbers on top of the bars).

by individual principal investigators and on fixed cost and time schedules despite their increasing complexity.

BALLOON OBSERVATIONS

NASA's balloon program has historically provided a mechanism to obtain exposures to energetic particle radiation. When high-altitude balloon technology was developed in the late 1940s, balloons were used to discover the major constituents of the steady flux of cosmic rays bombarding the Earth. Many of the scientists who went on to play a major role in NASA's flight programs learned how to operate a payload in the harsh space environment by doing thesis or postdoctoral research using a balloon-borne payload.

This section draws on data about scientific ballooning as a whole, and on a small sample from a very specific and narrow discipline area, namely studies of high-energy cosmic rays. The trends in the two data sets are consistent. Three cosmic-ray groups provided information about flight rates and implementation times: the California Institute of Technology, University of Chicago, and God-




FIGURE 6.12 NASA balloon flights, 1967-1991.

by payload mass, during the same time period. Although payload weight increased, the reliability has remained relatively constant (Harvey Neddleman, Balloon Projects Branch, Wallops Flight Center, personal communication, 1993), except for periods of specific difficulty in the late 1970s discussed further below.

Based on limited information from the cosmic-ray groups, Figure 6.14 shows the trends in implementation time (i.e., conception to first successful flight). Understanding these data requires some guesswork based on knowledge of the history involved. In the 1960s there was a major expedition each summer to Ft. Churchill, Manitoba, known as the Skyhook program, through which most of the balloons, all with relatively small payloads, were flown. In the 1970s, balloons that could reliably lift a few thousand pounds came into being, bigger experiments were possible, and the flight frequencies declined. This growth in balloons and payloads finally ran into technology limits in the last half of the




FIGURE 6.13 NASA balloon payload weight, 1967-1991.

attention paid to balloon problems by NASA. This is a success story that has led to demands for more and longer-duration flights.

Data on total funding and funding per grant for cosmic ray balloon payloads are shown in Figures 6.15a and b. (Unfortunately, these data only go back to 1979, and further historical data were difficult to obtain.) The number of grants and the number of projects are shown in Figure 6.16. The increase in payload complexity has led to multiinstitution (and hence multigrant) collaborations on individual projects.

The data support the recollections of some researchers that in the 1950s and 1960s one could rely on steady funding as long as meaningful results were forthcoming. Programs proposed were multiyear ones and began returning results within a year or two of conception. In the 1970s the time taken to accomplish research seemed to increase: payloads became bigger and more complex, taking longer to build and fly. The late 1970s and early 1980s were a period of poor balloon reliability, when a failure usually meant a year's delay. Following the technical problems of the early 1980s and the corresponding dip in funding, the number of groups flying balloons, as well as the funding, began to increase again.

Ballooning's jable method for conducting galactic cosmic-ray studies




FIGURE 6.14 Sample balloon implementation times for cosmic-ray payloads, 1964-1990.

1990s. The trend toward increasing payload complexity has generally been absorbed by the space physics community without loss of reliability, with the exception that occasional balloon reliability problems arise and must be solved.




FIGURE 6.15a Total NASA funding for cosmic-ray balloon payloads. Source: Data provided by NASA's Cosmic and Heliospheric Physics Branch.

THEORY

Progress in science results from the interaction between its theoretical and experimental (or observational) branches. This interdependence holds as much for space physics as it does for the rest of science. About a third of all space physicists consider themselves to be theorists or modelers, according to one survey (see Chapter 4, Figure 4.6). This percentage is larger for younger physicists (40 percent for those under age 40). Both aspects of space physics science




FIGURE 6.15b Average NASA funding per grant for cosmic-ray balloon payloads.

in very small groups. Most support for theoretical work comes from small, short-term grants from NSF and from NASA's Supporting Research and Technology (SR&T) program. Consider the theory and modeling component of NASA's Space Physics Division SR&T funding for FY 1991 (excluding the balloon and suborbital programs). The total number of SR&T grants was 288, of which 140 (or 48.6 percent) were for theory and modeling. The total division SR&T budget was \$17.046 million, of which theory and modeling accounted for

der 214 (11) / 44 % (11) / (14 % (11)) / (This does not include the Court Dhawing




FIGURE 6.16 NASA cosmic-ray balloon grants and projects, 1979-1992.

branch, \$2.5 million was available for new grants for FY 1992, but proposals totaling \$11 million were submitted.

There has been some tendency for theoretical work to be put into larger packages. Part of this is associated with advances in numerical simulations of space plasma phenomena, which require a larger infrastructure than traditional theory. One example of this is NASA's Space Physics Theory program (previously the Solar Terrestrial Theory program). One of the purposes of this program is to assemble "critical masses" of theorists to work on certain key problem areas. A large number of these groups emphasize numerical plasma simulations. Currently, there are 17 such groups, each with several senior scientists, several junior scientists, and graduate students. The total FY 1992 funding is \$4.3 million. The program started in FY 1980 with 13 groups and \$2.27 million. The overall program grew at a rate of 5.5 percent per year, thus approximately keeping pace with inflation, but the rate of increase per group was only 3.1 percent. These groups have been very productive and important for space physics, but most theoretical work still takes place elsewhere.

Construction of the last the l

come an important theoretical method over the past two decades. Examples include particle-in-cell simulations, hybrid simulations, and three-dimensional magnetohydrodynamic modeling. Numerical models have increased in size and complexity over time, taking advantage of technological developments in computers, such as the CRAY-YMP and other supercomputers. Large computational facilities have been created, such as the four NSF supercomputer centers, the National Center for Atmospheric Research's Scientific Computing Division, and government laboratories such as NASA's Ames and Goddard centers and the Los Alamos and Livermore national laboratories. The largest space (and non-space) plasma simulations have been run at the national laboratories, where large blocks of computer time are available. In this sense, too, also theory has become "big" science.

Some relatively large groups have grown to support the development and running of these plasma simulations and models, but overall these groups are still smaller than the large experimental teams that are put together to design, build, and use space-based instruments. In fact, even large modeling efforts such as 3-D magnetohydrodynamic simulations are frequently undertaken by only one or two senior scientists. A recent trend running counter to the dependence on supercomputers is the increasing use of powerful workstations that permit all but the largest simulations to be run locally.

Theory is an important part of space physics, and numerical plasma simulations have played an increasingly important role in this field. The emphasis on simulation has resulted in some increase in the scale of operations for theory over the past couple of decades, but theoretical space plasma physics seems to have found a balance between big and little science.

The chief difficulty for theory and modeling lies in the small grant sizes (\$54,000 on average), which are not keeping up with the rate of inflation, as well as the decreasing probability of a proposal getting funded and rising overhead costs. As discussed more generally in Chapter 5, these factors lower the effectiveness of the Space Physics Theory and Modeling program.

archiving requirements so that data are available in a format that can be used by scientists other than the original PIs; and (3) broadening the base of researchers who know of, understand, and can use the data. The first two requirements are self-explanatory. This section addresses the third requirement, especially as it relates to the interplay of big and little science.

There has been a recent trend toward broadening the base of researchers working with space data through the use of interdisciplinary scientists and guest investigators. This trend is driven by the increasing breadth of many of the space physics missions and by the abundant correlative data available from both ground-based observations and spacecraft operating in different locations in the solar-terrestrial system at the same time.

One space mission that was particularly successful in attracting the participation of many researchers was NASA's Solar Maximum Mission (SMM). Launched in 1980, SMM was an Earth-orbiting satellite that carried six instruments for studying the Sun. For its time, SMM could be considered a moderatecost space mission (prelaunch cost of \$125 million in FY 1979 dollars). In addition to the six principal investigators and their teams, about 25 Guest Investigators per year were funded, at an average of \$34,000 per investigation, for a total cost of roughly \$6 million over seven years. About twice that number of investigators obtained SMM data for their own research, either in person or over the phone. SMM also provided modest support for correlative ground-based observations of the Sun. Summaries of selected SMM data were published in broad-circulation periodical data reports to make those outside the program aware of the data resource. In addition, the SMM project sponsored a series of workshops that focused on SMM data and were open to all interested investigators. By 1989 the data obtained by SMM had led to over 700 scientific publications. Over 75 percent of U.S. solar physicists and a large number of non-U.S. researchers have participated in SMM in one way or another.

SMM was not the only successful guest investigator program in space physics. Over the period 1984-1987, for example, NASA's Dynamics Explorer (DE) guest investigator program funded 39 investigations at a total cost of \$1.45 million, resulting in roughly two new publications per investigator per year.

In 1991, NASA's Space Physics Division initiated a plan for the archiving

could apply for continued study of these valuable data bases.

The first two elements above were implemented quickly. As for the third element, 41 guest investigators were supported in 1991, but the funding for continuation of this important program is highly uncertain.

The space physics community is united in its support of vigorous guest investigator programs for many reasons: (1) they are very cost effective, (2) they bring different talents and interests to the analysis of costly space data, (3) they provide the PIs and their teams with new collaborative capabilities and opportunities, (4) they help bridge the gap between major missions, and (5) they provide a natural way to encourage the interplay between big and little science that enriches space physics research.

Sometimes individual investigators or small teams find it advantageous to coordinate their data analyses in order to achieve their respective research objectives. As an example, it has been suggested that the time is ripe to undertake a retrospective analysis of existing and complementary sets of space-based and ground-based data dealing with magnetospheric substorms. The relevant data have now been archived, and the theoretical models of substorms have changed considerably since the individual data sets were first analyzed. Another example is the Coordinated Heliospheric Observations (COHO) program, which seeks to support theory, modeling, data analysis, and guest investigations aimed at understanding the heliosphere and its boundaries through coordinated data obtained from spacecraft now widely distributed throughout the heliosphere. The COHO initiative was approved in NASA's Space Physics Division program for FY 1993, but no funds were appropriated to support it.

Data analysis is but one example of the strong synergism that can exist between big and little science. It shows, as discussed in Chapter 2, that both are essential for the advancement of space physics. Furthermore, large and small efforts must be carefully balanced and coordinated to optimize the scientific return.

Conclusions and Recommendations

In this chapter we attempt to unravel the space physics paradox by reviewing the findings from our earlier chapters and revisiting the big science/little science controversy. We have assembled our findings in a manner that naturally leads to four major conclusions and four important recommendations that address the essence of the space physics paradox. We have relied more on the trends derived from our data than on absolute values for any given epoch. Our conclusions therefore reflect these trends, and our recommendations seek to change them—a change that can be made with no increase in overall funding for space physics.

Other reports have touched on these matters but in different contexts. For example, the Lederman report [1] delivers a disturbing anecdotal survey on the health of university research. The National Aeronautics and Space Adminstration (NASA) Advisory Council report [3] recognizes a decreasing number of research opportunities, increasing time scales for research projects, and the scientific community's need for a variety of research opportunities of different sizes. The Committee on Space Policy [4], in its recommendations to then-president-elect George Bush, discusses the need for a balanced program consisting of a stably funded base program supplemented by large, long-term projects. Such general reports complement the more specific case presented in this report for the field of space physics.

ty. However, by asking questions about *where* the money has gone, *why* inefficiencies have developed, and *who* is feeling the dissatisfaction most keenly, this seemingly paradoxical situation can be explained.

Chapter 3 showed that overall research funding, as well as funding for space physics research, have increased at a pace well beyond inflation and now represent a larger share of the gross national product than they did 15 years ago. Furthermore, Chapter 4 showed that the size of the space physics community has grown at a similar rate. On the other hand, Chapter 5 established that in the core program the percentage of proposals funded and the funding per grant have generally decreased over this time, concluding that the base program has not kept pace with either the increasing size of the field or the general funding increase. Thus, even though total funding has increased at a rate similar to the growth of the research community, individual "small science" researchers must now write significantly more proposals to support their work than they did a decade ago. Chapter 5 also showed how increasing university overhead rates are compounding these problems. Finally, Chapter 6 discussed the changes that have occurred over the past two decades in the selection, management, and implementation of space physics research projects. The data show that these projects have become larger, more complex, and more expensive, which suggests greater opportunities for the research community. However, other findings are more sobering: launch frequencies (and total experiments deployed) have decreased; project implementation times have risen across the board, dramatically in some cases; heavy documentation requirements have been imposed; and projects increasingly require individual, new-start approval from a strapped U.S. Congress. As overall funding levels increased, with more dollars targeted for large projects, many of these changes were unavoidable. Some even seemed reasonable and necessary to maintain an appropriate system of checks and balances. However, the net effect has been the establishment of a system that causes major implementation delays; disproportionate study, planning, selling, documentation, and administrative activities; inadequate funding profiles for planned programs; and a less effective core research program. All of these findings are consistent with the increased levels of frustration sensed through discussions with colleagues throughout the space physics community.

changing perspectives, it generally is possible to distinguish between big and little science at a given point in time, in a particular subfield, and within a specific funding agency.

When we do this in space physics we find that both big and little projects have been used to advance the field to its present state of knowledge. Chapters 4 and 6 illustrated how the field of space physics has evolved from a small group of pioneering researchers probing the edge of space with balloons and rockets to a community of several thousand researchers using state-of-the-art tools to study the space environment from the earth to the stars. Chapters 2 and 6 also showed that both large and small projects have been used together from the earliest days of what we now call space physics. When things go well, little science supports big science through the results of its research and discoveries, and often itself evolves into big science endeavors. In a complementary fashion, big science provides platforms for larger and more complex experiments, and often supports little science directly by providing experimental opportunities for many additional researchers and groups.

At one time a strong synergistic relationship existed whereby everyone seemed to benefit. However, the extensive experiences of the committee members, confirmed through discussions with colleagues, and substantiated by the data assembled for this report, indicate that this synergism has broken down. In struggling to explain what went wrong, we have found what we feel are important clues for understanding the paradox underlying this study. The consequences of our findings are embodied in four major conclusions presented below.

CONCLUSIONS

Conclusion No. 1: The effectiveness of the base-funded space physics research program has decreased over the past decade.

We saw in Chapter 4 that the size of the space physics research community has increased at a rate roughly commensurate with the general increase in research funding described in Chapter 3. However, Chapter 5 showed that the avera e rant size in the base-funded rogram (the source of support for most

cost burden for an already stressed core research program.

Small science, carried out by an intellectually diverse, flexible community.

Small science, carried out by an intellectually diverse, flexible community of independent investigators, provides unique capabilities for performing certain kinds of research. Because of this, it is our conviction that a strong, effective, base-funded research program is essential to the health of the field.

Conclusion No. 2: Factors such as planning, marketing, the funding process, and project management have become as responsible for the increased delays, costs, and frustration levels in space physics as technical complications related to increasing project size and complexity.

Chapter 6 showed that many space physics programs, both space-based and ground-based, exhibit the same trend of increasing time from conception to implementation. This trend is most pronounced in what we characterize as big programs, but similar problems are creeping into the smaller programs as well. For example, satellite mission implementation times have increased from two or three years in the early 1960s to the present value of 10 to 15 years. We also looked at NASA's Explorer program, where implementation times have become so great (Figures 6.3 and 6.4) as to undermine the original intentions of the process itself—namely, to do high-priority science in a timely manner.

Chapter 6 and Appendix B show that accompanying these increased implementation times has been a major increase in project management functions such as study, planning, review, and selling activities. These activities occur well before the start of a program and continue far into the implementation phase. They are time consuming, expensive, and often do not contribute much to the science being pursued. In some cases these efforts are for naught, and the planning never comes to fruition (see Appendix B). In too many other cases [8], these efforts have extended through such long study and implementation phases that a sense of disillusionment arises.

The management system further imposes documentation requirements that represent a substantial part of the experimental team's effort. The extent to which this requirement has been imposed is seen as excessive by the space physics community. For example, in many cases a separate manager is assigned

research projects. For example, balloon and rocket program experience has shown that success rates and scientific productivity can be maintained despite significant growth in the size and complexity of instruments. By contrast, ground-based solar observatories show a major increase in implementation times, even though their size and complexity have remained comparable over the past two decades. In the latter example the increased implementation times are due to the extra management activities described above, combined with the vagaries of incremental funding that rarely matches the planned profile.

This management structure may be a natural result of the trend toward large programs. Because of the huge investment of resources in these large projects, government and other managers feel a responsibility to closely monitor every aspect of their progress. Unfortunately, the indiscriminate application of this management system to programs and projects of all sizes has reduced the effectiveness and increased the cost of the overall space physics research program.

Conclusion No. 3: The long-term trend that has led to an ever-increasing reliance on large programs has decreased the productivity of space physics research.

The time period that saw a growing reliance on large science projects also witnessed several disturbing trends. As described above, there has been a steady increase in the implementation times of space physics projects, both ground and space based. This has been accompanied by a steadily expanding effort by the research community on planning, study, and selling activities.

In parallel with these trends, the average grant size in the base-funded program and its constant-dollar buying power have decreased relative to inflation, despite the fact that overall funding for space physics has increased markedly over the past decade. We conclude by implication that the bulk of the funding increase experienced in space physics research over the years has gone to large programs. Because of their broad goals and national visibility, these projects have been easier for funding agencies to sell than the base research program.

However, the complex and ambitious character of big science projects also has its downside, including frequent cost overruns. The infrequency of large-scale activities produces present to do it on all xp rim nt that a no

big projects.

Big projects are also much more vulnerable to shifting political winds and competing science priorities. Tying science goals to new-start approval decisions with incremental funding allotments introduces a high level of uncertainty and risk. It has also led to a steady decrease in experimental opportunities (including balloon, rocket, and satellite flights and instruments) and a space physics community too often diverted from direct scientific research into peripheral management activities, or writing multiple proposals for the scarce dollars left in the base-funded program. A disturbing, but telling, side effect of the processes described above is that a steadily decreasing percentage of experimentalists are entering the space physics field, as noted in Chapter 4.

We believe that these trends must be halted and reversed in order to restore the health, and safeguard the future, of the field. We also believe that the space physics story may contain lessons of value to the broader academic community.

Conclusion No. 4: The funding agencies and the space physics community have not clearly articulated priorities and developed strategies for achieving them, despite the fact that the rapid growth of the field has exceeded available resources.

The number of researchers in space physics has grown considerably over the years (Chapter 4). The growth has been accompanied by a marked increase in the number and complexity of new research problems proposed within the field. Lacking clear guidance from a set of ranked priorities, the funding agencies have absorbed into their strategic plans more ideas and programs than could be implemented within the bounds of available, or realistically foreseeable, resources. Many of these programs were then maintained in readiness, awaiting the availability of formal approval and funding in the face of competing national priorities. Some of these projects were never started (Appendix B), or were canceled in midterm (Chapter 6), wasting resources and failing to achieve the scientific goals that drove them. Even those that do see completion now take longer and cost more as a result of this process (Chapter 6). The funds consumed in maintaining programs in readiness do not represent an effective use of resources and

levels in the overall space physics research budget.

Recommendation No. 1: The scientific community and the funding agencies must work together to increase the proportionate size and stability of the base-funded research program.

As has been discussed, a productive space physics program cannot survive on large new-start projects alone. An active and synergistic program of small projects is also needed to incubate new ideas. To support this family of small projects, there must be a stable and effective base-funded research program. Furthermore, a revitalized core program must adopt procedures to decrease present inefficiencies (Chapter 5). With a larger, more stable core program, the funding agencies can increase grant sizes and durations, enabling researchers to focus more on science and less on funding. Other improvements in the funding process, such as requiring shorter proposals, providing a faster, more efficient review process, and delegating greater authority to the principal investigator where possible, are discussed in more detail in our last recommendation.

Recommendation No. 2: The funding agencies should ensure the availability of many more experimental opportunities by shifting the balance toward smaller programs, even if this necessitates a reduction in the number of future large programs.

The current frequency of experimental opportunities is insufficient to sustain space research into the next generation. As explained in Chapter 2, some scientific investigations can only be done via large science initiatives. In fact, we have shown in Chapters 2 and 6 that a strong synergism existed at one time between large and small space physics programs. However, the future of space physics requires frequent access to new research opportunities and the accompanying development of new scientists capable of carrying out the missions of the future. These goals have been more efficiently achieved through small science programs.

In one survey of the space physics community by NASA's Space Physics

the space physics community must establish realistic priorities across the full spectrum of its scientific interests, encompassing both largeand small-scale activities.

Unless the scientific community itself is willing to make difficult choices and set priorities at the outset, programmatic decisions will ultimately be made on the basis of considerations other than a rational assessment of the value of the program to the nation's scientific progress. The needs and vitality of the discipline as a whole, and not necessarily equity among subdisciplines, are of paramount importance in setting such priorities. Thus, these overall priorities must be considered before it becomes productive to prioritize specific programs and missions. Long-term scientific goals should not be altered lightly or set aside before they are achieved. Scientific priorities should change only in response to changing scientific perspectives. Ongoing projects initiated in response to established scientific priorities should be insulated as much as possible from the effects of short-term fluctuations in funding.

Prioritization must not only cross subdisciplines within a field but also include an assessment of the balance between "big" and "little" science. In particular, it must consider the unique value of a large project relative to the promise of the ongoing base-funded program. A clear assessment of this delicate, yet important, balance must be made by the research community at the outset.

Prioritization is always a wrenching process, since it necessarily involves postponing or eliminating the pursuit of some interesting ideas. It is beyond the scope of this report to recommend a specific process for making these hard choices; however, the space physics community might be able to learn from other academic disciplines that have been forced to undertake similar priority-setting exercises.

Recommendation No. 4: The management and implementation processes for the space physics research program should be streamlined.

Management and implementation processes must be tailored to the size of a given program: big science management techniques should not be applied to little science programs. Politicians funders and man as a need a sakpouled as

problems, and ensure the training of students. Proposal reviews also should be streamlined, particularly within the core program.

Many of these steps will be easier to accomplish if a set of priorities is developed by the scientific community. Such priorities will also aid the funding agencies in their programmatic decisionmaking. For their part, funding agencies must work with the scientific community to streamline management procedures, consult with the scientific community as they make programmatic decisions, and clearly convey, and then fulfill, their level of commitment throughout the development of a program.

We feel that major progress can be made by recognizing and relying on the powerful self-interest of researchers to succeed. For example, the continued success of the rocket and balloon programs, despite their increased size and complexity, can be traced in part to the fact that management of these programs has been left in the hands of the principal investigators (Chapter 6). We believe that delegation of greater authority to principal investigators will generally lower the direct and indirect costs of oversight and reporting while improving success rates and scientific productivity.

The four recommendations outlined above are highly interrelated. Streamlined management processes will further boost the productivity of a stabilized core program. Priority setting will enable the few most critical big science projects to be pursued without jeopardizing ongoing research. Taken together, we believe these recommendations provide a blueprint for a stronger and more productive space physics research community.

References

- 1. Science: The End of the Frontier? A report from Leon M. Lederman, President-Elect, American Association for the Advancement of Science, to the Board of Directors, January 1991.
- 2. Federally Funded Research: Decisions for a Decade; U.S. Congress, Office of Technology Assessment, OTA-SET-490, May 1991.
- 3. The Crisis in Earth and Space Science: A Time for a New Commitment; A report by the Space and Earth Science Advisory Committee, NASA Advisory Council, November 1986.
- Toward a New Era in Space: Realigning Policies to New Realities; Recommendations for President-Elect George Bush by the Committee on Space Policy, National Academy of Sciences and National Academy of Engineering, 1988.
- 5. NASA Survey of the Space Physics Community, M. Mellott, NASA Space Physics Division, 1991.

- search Council, 1991.
- 9. Space Physics Strategy-Implementation Study; The NASA Space Physics Program for 1995 to 2010; Vol. 1: Goals, Objectives, Strategy; Vol. 2: Program Plan, April 1991.
- Federal Funds for Research and Development: Detailed Historical Tables, Fiscal Years 1955-1990; Division of Science Resources Studies, National Science Foundation, 1991.
- 11. Science and Engineering Indicators; National Science Board, 10th Edition, 1991.
- 12. The Chronicle of Higher Education, March 28, 1990.
- 13. A Strategy for the Explorer Program for Solar and Space Physics; Committee on Solar and Space Physics, Space Studies Board, National Research Council, 1984.
- 14. Quick Is Beautiful; by Freeman Dyson in *Highlights of Modern Astrophysics Concepts and Controversies*, S. L. Shapiro and S. A. Teukolsky, eds., John Wiley & Sons, New York, 1986.
- 15. Origin of Plasmas in the Earth's Neighborhood; Final report of the Science Definition Working Group, NASA, April 1979.
- Solar System Space Physics in the 1980's: A Research Strategy; Committee on Solar and Space Physics, Space Sciences Board, National Research Council, 1980.

Space Physics Missions (1958-2000)

INTRODUCTION

This appendix examines the processes involved in obtaining observations from space, which were discussed briefly in Chapter 6. This examination was motivated by a concern over the long time delays between the start of a mission and the return of scientific data which became common in the late 1980s and early 1990s. We start by considering the time from the start of a mission to launch of the spacecraft. We take the starting date as the date that investigators submitted proposals to place instruments on the spacecraft. We chose the proposal date because it is a well-defined starting point that exists in some form for most missions. However, we recognize that it is not the "actual" starting time for the ideas that led to the mission. For instance, NASA administrators first have to be convinced to start, or at least investigate, a mission prior to issuing an Announcement of Opportunity for investigators. In several cases we discuss this preannouncement development stage as well. (A date of July 1 is used when only the year is known. When a proposal date is not available, we use an estimated date on which the "concept" development started for the mission.)

INTERVAL FROM PROPOSAL TO LAUNCH FOR

Explorer 6		11/1/30		MAGA
Exhiniei o	7/1958	8/1959	1 yr 1 mo	NASA
Pioneer 5	1/1959*	3/1960	1 yr 2 mo	NASA
Discoverer 31	7/1960*	8/1961	l yr 1 mo	NASA
Discoverer 33	7/1960*	9/1961	1 yr 2 mo	NASA
Discoverer 36	7/1960*	12/1961	1 yr 5 mo	NASA
IMP 1	12/1960*	11/1963	2 yr 11 mo	NASA
OGO 1	7/1962*	9/1964	2 yr 2 mo	NASA
IMP 2	1/1961*	10/1964	3 yr 9 mo	NASA
Mariner 4	7/1962	11/1964	2 yr 4 mo	NASA
IMP 3	12/1960*	5/1965	4 yr 6 mo	NASA
OGO 2	7/1962*	10/1965	3 yr 3 mo	NASA
Pioneer 6	7/1963*	12/1965	2 yr 5 mo	NASA
OGO 3	7/1962*	6/1966	3 yr 11 mo	NASA
Pioneer 7	7/1963*	8/1966	3 yr 1 mo	NASA
ATS 1	2/1965	12/1966	1 yr 10 mo	NASA
OGO 4	7/1962*	7/1967	5 yr	NASA
IMP 4	12/1964*	5/1967	2 yr 6 mo	NASA
OGO 5	8/1964	3/1968	3 yr 7 mo	NASA
OGO 6	3/1966	6/1969	3 yr 3 mo	NASA
IMP 5	7/1965*	6/1969	3 yr 11 mo	NASA
IMP 6	7/1968	7/1971	3 yr	NASA
Pioneer 10	7/1969	3/1972	2 yr 8 mo	NASA
IMP 7	11/1966	9/1972	5 yr 10 mo	NASA
Pioneer 11	7/1969	4/1973	3 yr 9 mo	NASA
IMP 8	11/1966	10/1973	6 yr 11 mo	NASA
AEC	7/1969	12/1973	4 yr 5 mo	NASA
Mariner 10	7/1969*	11/1973	4 yr 4 mo	NASA
ATS 6	7/1968	5/1974	5 yr 10 mo	NASA
	7/1969	7/1975	6 yr	NASA

11/1958

6 mo

NASA

Pioneer 2

5/1958

t than two years to nearly seven years. Several of the missions took three to four years. One of the shortest was ATS 1, which took one year and ten months.

Missions Started in the 1970s

Table A.2 lists several missions started in the 1970s. The Voyager and the International Sun Earth Explorer (ISEE) missions took about five years from proposal to launch. Both were scientifically successful missions. ISEE reentered the Earth's atmosphere in 1987 after 10 years in orbit, while the Voyagers are still returning heliospheric data after having probed the magnetospheres of Jupiter, Saturn, Uranus, and Neptune.

The Dynamics Explorer (DE) mission provides a good example of the effort required to define and sell a mission concept in the 1970s. The DE mission was designed to study the atmosphere, ionosphere, and magnetosphere as a system. Conferences laying the foundation for the DE mission began as early as 1972. During the fall of 1973 the scientific concepts on which the DE mission was based were presented to the Office of Space Science at NASA Headquarters. In April 1974 a planning and feasibility study group was established at the Goddard Space Flight Center (GSFC), and in July 1974 an Announcement of Opportunity (AO) was released that solicited proposals for Explorer-type payloads. Many of the proposals submitted in response to this AO were for the Electrodynamics Explorer (EE) program.

An EE study team was appointed in 1975. It issued a report describing the mission, and in May 1976 NASA made the final selection of investigators for the mission. A project plan was prepared by GSFC, and a cost review was conducted at NASA Headquarters. Following this review it was decided that the EE project could not be implemented as outlined. However, the scientific communi-

TABLE A.2 Space Physics Related Missions in the 1970s

Mission	Start	Launch	Time to Launch	Lead Agencies
ISEE 3 Pioneer Venus	9/1972 10/1973	8/1978 5/1978	5 yr 11 mo 4 yr 7 mo	NASA NASA
DE 1 and 2	7/1974	8/1981	7 yr 1 mo	NASA

October 1977, and the two DE spacecraft were launched less than four years later.

The final mission during the 1970s was Galileo. The Galileo proposals were written in 1976. The original launch was scheduled for 1982, but problems with the spacecraft and with the Space Shuttle launch system caused it to be postponed until 1986. The launch was further delayed until 1989 by the Challenger explosion. However, even if the Challenger explosion had not occurred, the interval between proposals and launch still would have been nine years.

Missions Started in the 1980s

During the 1980s the time between the selection of experiments for a mission and the actual launch became very large (Table A.3). The Combined Release and Radiation Effects Satellite (CRRES) mission was started in 1981. Originally, it was an Air Force project called RADSAT. In 1982 it was combined with the NASA Chemical Release Program. After a number of delays, including the Challenger accident, CRRES was launched in 1990.

The International Solar-Terrestrial Physics (ISTP) program resulted from a series of studies conducted by committees of the National Research Council's Space Sciences Board (SSB) in the late 1970s and early 1980s. Among these was the Kennel report1, which cited six critical regions of the terrestrial magnetosphere that needed to be better understood in order to understand the timedependent exchange of energy and plasma between the solar wind and the magnetosphere. From this the Origins of Plasma in the Earth's Neighborhood (OPEN) program evolved. In the OPEN program spacecraft would be flown simultaneously in four key regions: the WIND spacecraft would monitor the solar wind, the POLAR spacecraft would observe in the polar region, EOUA-TOR would provide observations in the near-earth magnetotail equatorial region, and GEOTAIL would probe both the near-earth and distant magnetotail. Proposals for participation in the OPEN mission were written in 1980. During the design phase of the mission it became evident that the costs would exceed the available resources. Since understanding the global flow of energy throughout a system as vast as the magnetosphere required the four spacecraft at a minimum, it was do ided to sook in amortismal assumption. This lad a the formation of

SAMPEX	9/1988	7/1992	3 yr 9 mo	NASA	
ISTP/Geotail	3/1980	7/1992	12 yr 4 mo	ISAS, NASA	
ISTP/Wind	3/1980	9/1994	14 yr 6 mo	NASA	
ISTP/Polar	3/1980	6/1995	15 yr 3 mo	NASA	
FAST	7/1988	7/1994	6 yr	NASA	
ISTP/Cluster	7/1988	12/1995	7 yr 5 mo	ESA	
CRAF	11/1985	7/1996	10 yr 8 mo	NASA	
ACE	7/1986	8/1997	ll yr 1 mo	NASA	
Cassini	2/1990	7/1997	7 yr 5 mo	NASA, ESA	
SOHO	7/1989	7/1995	6 yr	ESA, NASA	

(ISAS) took the lead in the GEOTAIL spacecraft. The European Space Agency agreed to provide four spacecraft that would fly in a tetrahedral formation to probe the polar magnetosphere, magnetopause, and cusp (CLUSTER). The EQUATOR spacecraft was canceled. It was hoped that data from the CRRES spacecraft would partially fill the gap left by the cancellation of EQUATOR, but CRRES stopped operating in 1991. The ISTP mission was approved in 1988. The GEOTAIL spacecraft was launched in July 1991, 12 years after the initial proposal. Unfortunately, the schedules for the WIND and POLAR spacecraft have slipped recently, and it will be at least mid- to late 1995 before they are launched.

The Fast Auroral Snapshot Explorer (FAST) is a small explorer mission. It will provide high-resolution observations in the auroral zone. In this small explorer program the entire instrument complement was proposed as a unit with a single principal investigator. The proposals were written in 1988, and the current schedule calls for a 1994 launch.

The time difference between the proposal and launch date for each mission, which provides a measure of the implementation time, has been plotted versus launch date in Figure A.1. Explorer and other NASA missions are shown in the figure, with future missions indicated by arrows that represent the effect of a one-year delay. The implementation time has steadily increased over the past three decades, with the result that most recent missions have taken approximately 12 years to be implemented.




FIGURE A1.1 Implementation times for space-physics-related missions, 1958-2000.

Note: Launches for which reliable start dates could not be obtained are not included in this figure.

The Solar Telescope That Saw No Light (A Tale of Planning Gone Awry)

This is the story of how a proposed \$25 million solar telescope for an early Space Shuttle mission grew into a proposed \$360 million national facility for solar research. It tells how the facility further grew into a proposed \$811 million laboratory and then finally was canceled. The story takes place between 1965 and 1992, during which time an estimated 1,000 person-years of work was devoted to planning the Orbiting Solar Laboratory (OSL). It is admittedly told from the research scientist's point of view, but the committee believes that it illustrates how the trend toward "big" science and excessive planning can undermine the nation's efforts to achieve important scientific goals.

OSL started in 1965 as a modest idea. By NASA standards it was definitely a "small" science project. It was an extension of a program at the California Institute of Technology (CIT) to improve solar imagery. Two scientists would direct the project. But by the time it was canceled in 1991, OSL had grown to look like big science. About 200 solar physicists (half the world's stock) would have been needed to operate it and analyze the data. It would have inspected the Sun at wavelengths from a thousandth of a nanometer (gamma rays) to a thousand nanometers (infrared). It would have been to solar physics what a completely successful Hubble Space Telescope is to astrophysics. The difference is that OSL was never built and probably never will be, but like the Hubble Space Telescope it raises painful a setting about the conduct and cost effectiveness of

1972	ob-cm prototype installed at Big Bear Solar Observatory
1973	MSVC/Itek 150-cm telescope study for shuttle
1973	Goddard Space Flight Center (GSFC) 100-cm telescope study for Spacelab
1974	Announcement of Opportunity for "Scientific Definition of Space Shuttle Missions for Solar Physics Spacelab Payloads"
1975	Initial work of One-Meter Solar Telescope Facility Definition Team
1976	Spacelab Optical Telescope proposed by Association of Universities for Research in Astronomy, Inc., to NASA
1978	Spacelab Optical Telescope top ranked of four candidate solar facilities
1979	Solar Optical Telescope project started at GSFC
1980	Facility definition teams terminated
1982	Selection of science teams, telescope and instrument contractors
1983	Phase B studies completed
1983	Phase C/D deferred due to Spacelab budget reductions and difficulties with Hubble Space Telescope
1984	Formal NASA approval for FY 86 new start but FY 86 budget capped at FY 85 study level by Congress
1985	Phase C/D funds deleted from FY 87 budget request by Office of Management and Budget (OMB)
1986	High Resolution Solar Observatory (HRSO) project started at GSFC; studied as Space Station payload
1986	Phase C/D funds deleted from FY 88 budget request by OMB
1987	HRSO redesigned as a free flier
1988	Restructuring of HRSO to restore capabilities lost in 1986
1989	New science objectives formulated to accommodate changes in hardware
1990	GSFC New Business Committee pledges center to OSL budget and manpower plan
1990	Request for proposals issued for Phase B contractors
1990	Favorable nonadvocacy review; favorable review by Space Science and

builder of Chicago's elevated railway, to finance construction of the largest telescope in the world. A few years later he persuaded Andrew Carnegie to finance the largest solar telescopes and the 60-inch and 100-inch nighttime telescopes on Mount Wilson. Each in its turn held the distinction of being the world's largest telescope. To support users of the telescopes, Hale founded the Mount Wilson Observatory of the Carnegie Institution, an early model of the Space Telescope Science Institute. Each of Hale's projects strained the technical and financial resources of the day. Hale was searching for support for the 200-inch Palomar telescope when nervous exhaustion forced him to retire.

Hale had created a new kind of institution in America, one devoted solely to scientific research. It required huge and expensive facilities, and it was successful in making southern California the world center in astronomy. His was a big science success story.

There are other such success stories as well. In 1961 the Associated Universities for Research in Astronomy (AURA) completed the world's largest solar telescope near Tucson, Arizona. Another major solar telescope for New Mexico was proposed to the Air Force in 1961, with approval in 1965. Each of these telescopes, to be used effectively, required a dozen solar physicists. Each was a successful big science project, and each moved from conception to completion in about four years.

THE SKYLAB OPTICAL TELESCOPE

In 1965 Harold Zirin and Robert Howard, two astronomers at institutions Hale built, started planning with the Jet Propulsion Laboratory (JPL) at CIT to build an orbiting solar telescope. They did not think of their Skylab Optical Telescope as big science. It was just a small experiment they would build and manage at a private institution, and they planned to oversee its scientific program.

NASA was regularly launching orbiting solar observatories, a series of small satellites each with a half-dozen bantam telescopes. It was also planning the Apollo Telescope Mount, which would carry a cluster of larger solar telescopes on Skylab. Skylab was a manned mission, and the Apollo Skylab program was

basic structural elements of the solar surface with a ground-based telescope because of the blurring effects of the Earth's atmosphere. The only trouble with the 65-centimeter telescope proposed by the CIT astronomers was that it would not resolve the magnetic elements. To do that would require a 150-centimeter telescope.

BIRTH OF A "FACILITY"

After dropping plans for a Skylab II, NASA began the first of many planning exercises for Space Shuttle payloads. In 1973 it funded two studies of larger telescopes, one through the Marshall Space Flight Center (MSFC) and one through the Goddard Space Flight Center (GSFC). Both studies concluded that the project was feasible. GSFC got the assignment for further work. MSFC and JPL were taken off the project, to the regret of solar physicists, who had strong confidence in MSFC because of its successful management of the Apollo Telescope Mount and because of its competent and growing solar physics group.

In 1976 the Associated Universities for Research in Astronomy (AURA) and CIT scientists submitted a proposal to build a Spacelab Optical Telescope and manage it as a facility for a wide range of users. The projected cost was \$25 million, although some scientists even then thought this estimate was too low. NASA thought that AURA could not possibly assure the success of the project (although it had teamed up with a highly experienced space instrument contractor), so it was renamed the Solar Optical Telescope (SOT) and designated as a NASA facility. The scientific teams were disbanded.

In the following two years (1980-1982), GSFC management built a sizable SOT project bureaucracy. Key scientists were not involved in this important phase when the project's structure and principles were developed. Finally, NASA did add scientist participation in planning the design and operation but not in the management of the SOT. All selected instruments were to become "government-furnished equipment" with virtually every detail of their design and use subject to government approval. Several who had conceived of and designed the telescope for CIT and AURA dropped out at this point.

2.	Delete articulated primary mirror
3.	Use Spacelab Instrument Pointing System for pointing
4.	Delete steering feature of tertiary mirror
5.	Use fast active optics on M4 only
6.	Add simple white-light TV for pointing control
7.	Delete wave-front sensor
8.	Delete stand-alone focus sensors
9.	Shorten telescope or reduce alignment complexity; Coordinated Instrument Package also becomes more compact
10.	Greatly simplify contamination control system
11.	Consider replacement of correlation tracker with boresight or limb sensor
12.	Eliminate "Facility" command and power systems
13.	Eliminate "Facility" ground support equipment
14.	Reduce field of view to one arc minute
15.	Delete background tunable filter-graph charged-coupled-device (CCD) camera, associated optics, and shutter
16.	Replace two photometric filter-graph film cameras with a single CCD camera system—thus no steering mirror
17.	No spectrograph grating carousel, no UV Schmidt mirror position, and no black mirrors
18.	Delete initial UV-rejection moveable window
19.	Delete polarization corrector slide
20.	Consider spherical optics for primary mirror rather than parabolic
21.	Greatly simplify heat rejection system

redesigned again, this time for launch by an unmanned vehicle. To replace the capabilities deleted earlier, NASA invited Germany, Italy, and the U.S. Air Force to supply additional experiments, at their own cost. NASA agreed to support an NRL-provided telescope for the payload.

Relations between NASA and many solar scientists were severely strained at this point because the new instruments had been added without competition, although NASA argued that a full-blown competitive selection process would take too long. It was all in vain because the OMB deleted all funds for design and construction from the 1988 budget.

Despite this history of dashed hopes and growing antagonisms, despite the Challenger accident, despite Hubble's cost overruns, the penultimate phase of the OSL project was grandiose, speculative, and briefly euphoric. Back in 1986, solar physics had moved from NASA's Astrophysics Division to the newly formed Space Physics Division, where the HRSO immediately became the biggest and oldest "gorilla" around. The SOT-HRSO was renamed the Orbiting Solar Laboratory (OSL) to emphasize its broad capabilities. Its new cost of \$500 million seemed to be a positive factor, since it could establish a precedent for other big missions to follow in the Space Physics Division. Now it was 1990 and, like the \$80 million Van Gogh paintings in the news that year, it seemed that something more expensive was better. After a series of planning sessions, the space scientists decided that big—very big—projects were most likely to succeed. The Earth Observing System and Hubble Space Telescope had paved the way. The cost estimate went to \$811 million, not counting \$53 million already spent.

FROM FIRST PLACE TO LAST

Through push and pull, plans for a truly marvelous and versatile laboratory had emerged. The scientists had broadened the scientific goals to include solar net energy and hard x-ray measurements. National Research Council committees and NASA advisory panels all agreed on the importance and urgency of getting the OSL started. Finally, there was no more planning to be done. The Office of Space Science and Applications (OSSA) moved the OSL to its first priority for the next "new start."

knew that nothing was left of OSL but the smile.

WHAT DOOMED OSL?

The generation that invented and promoted it will probably never see it fly. Some of them struggled for 25 years to make it happen, but many forces outside their control helped doom it. In the 1980s each cost escalation of the Hubble Space Telescope amplified the SOT estimates. Then the Challenger accident forced its redesign as a free flier. The end of the Cold War meant the end of the space race and an end to large annual increases in NASA's budget. Soaring national budget deficits put all big expenditures under the knife.

From the time NASA took over in the late 1970s to OSL's cancellation in 1991, the scientists thought they had no control over cost estimates. The details were off limits. NASA argued that the numbers could reveal proprietary information or that they could tip off potential hardware suppliers about the prices the agency expected to pay. The effect was to make it impossible for the scientists to do much to bring the costs down except cut back on the scientific capabilities. No review committee ever criticized the importance of the science or the technical feasibility. After so many studies, the scientific and technical cases for OSL were strong.

The Science Working Group tried continually to gain more control over the project. Although it was generally told few details about why the costs were growing, the group did discover that data collection and analysis was a major cost driver. This issue frustrated and irritated the group for it knew that high cost estimates were jeopardizing the project and believed it could handle the data at far less cost than could the GSFC. More important, the group believed that responsibility for the quality of vital data was being taken away from it. GSFC was planning to create a Science Data and Operations Center to be responsible for management of science data processing, distribution, and archiving. The Science Working Group preferred a distributed data center, with nodes at the scientists' institutions and data banks under their direction.

Starting with its designation as a NASA facility and its early cost escalation to \$360 million, SOT-OSL was believed by some to be too expensive. The NASA chief scientist proclaimed it overpriced for the ex ected scientific return.

professional managers. An adversarial relationship can develop between researchers and the government. Flexibility fades, factions develop, heroes depart, consensus dissolves, and everyone looks for a younger, less-scarred project.

EFFECT ON THE SOLAR PHYSICISTS

How did the scientists feel about the project as it grew through the 1980s? The surprising result of an informal survey (see Chapter 5, footnote 1) is that many of them had decided as early as 1978, when NASA turned down the AURA proposal, that they would get nothing out of it. Most of the others quietly and privately wrote the OSL off after the repeated setbacks of the early 1980s.

Despite their private and sometimes public pessimism, solar physicists had tried a number of times to regain control of the project and its costs. The NRL/MSFC proposal was one example. Another was a plan by Art Walker of Stanford to set up a committee of scientists not affiliated with the SOT to try an entirely new approach. NASA opposed these initiatives. Out of necessity, most of the major players had developed alternate research objectives, and many were not even planning to use the OSL data. By 1988 most OSL scientists saw the project as a good thing if it could happen, but they were putting their own energies into smaller science projects.

EPILOGUE

In January 1992 NASA officials suggested there might be a "distributed" OSL. Couldn't much of the same science be done gradually with a combination of ground-based telescopes, theory, rocket experiments, and a balloon-borne telescope? The price of the latter would be \$20 million, part of a proposed \$38 million "Research Base Enhancement" to help U.S. solar research in space recover from the past years of frustration. Within a year, this proposal too was abandoned.

Orts issued by the Academy and ರೆಗ್ಗಳ onal Academy of Engineering, the 1edicine, and the National Resea Pperating under the charter grain onal Academy of Sciences by the Core ne United States.